

AD-A118 029

CORPS OF ENGINEERS ST PAUL MN ST PAUL DISTRICT  
SPECIES OF THE MISSISSIPPI RIVER HEADWATERS RESERVOIRS REGION. (U)  
JUL 76

F/G 6/3

UNCLASSIFIED

NL

1 OF 6  
AD A  
118029



A  
802

AD A118029

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO. AD-A118 029	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) SPECIES OF THE MISSISSIPPI RIVER HEADWATERS RESERVOIRS REGION.		5. TYPE OF REPORT & PERIOD COVERED FINAL
7. AUTHOR(s)		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS U.S. Army Corps of Engineers, St. Paul District 1135 USPO & Custom House St. Paul, MN 55101		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE July 1976
		13. NUMBER OF PAGES 169 p
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)  DTIC ELECTE AUG 10 1982 H		
18. SUPPLEMENTARY NOTES  Cover title: Mississippi River Headwaters Reservoirs Region/ Biological species lists		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)  Mammals Fishes Birds Upper Mississippi River Basin		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  Provides basic information on the various biological species whose general habitat range includes the Mississippi River headwaters reservoirs region in Minnesota. Information concerning habitat, common range in the United States and Minnesota, and bibliographical reference, is presented for each species listed. This informations has been assembled as part of the environmental resource inventory and analysis system (ERIAS).		

(1)

SPECIES OF  
THE MISSISSIPPI RIVER  
HEADWATERS RESERVOIRS REGION

SELECTED  
AUG 10 1982  
H

PREPARED BY  
U.S. ARMY CORPS OF ENGINEERS  
ST. PAUL DISTRICT  
1135 U.S. POST OFFICE & CUSTOM HOUSE  
JULY 1976

DISTRIBUTION STATEMENT A  
Approved for public release;  
Distribution Unlimited

## INTRODUCTION

THIS BOOKLET PROVIDES BASIC INFORMATION ON THE VARIOUS BIOLOGICAL SPECIES WHOSE GENERAL HABITAT RANGE INCLUDES THE MISSISSIPPI RIVER HEADWATERS RESERVOIRS REGION (SEE FIGURE 1).

THIS BIOLOGICAL INFORMATION HAS BEEN ASSEMBLED AS PART OF THE ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS) DEVELOPED BY THE ST. PAUL DISTRICT FOR LAND AND WATER AREAS WITHIN ITS AREA OF JURISDICTION (SEE FIGURE 2).


INFORMATION CONCERNING THE HABITAT, COMMON RANGE IN THE UNITED STATES, COMMON RANGE IN MINNESOTA AND BIBLIOGRAPHICAL REFERENCE, IS PRESENTED FOR EACH SPECIES LISTED. IN ADDITION, SPACE IS AVAILABLE FOR THE USER OF THIS BOOKLET TO ENTER SPECIFIC NOTES ON LOCAL POPULATIONS AS PARTICULAR SPECIES ARE SIGHTED OR STUDIED.


PART 1 PRESENTS A SPECIFIC LIST OF SPECIES THAT WARRANT "SPECIAL CONSIDERATIONS" AND BRIEFLY DISCUSSES THEIR STATUS. PART 2 PROVIDES THE BASIC SPECIES LIST, AND THE INFORMATION IT CONTAINS SHOULD BE BOTH INFORMATIVE AND USEFUL.

ADDITIONAL INFORMATION MAY BE OBTAINED BY CONTACTING THE ST. PAUL DISTRICT OFFICE.



Availability Codes		
Dist	Avail and/or	Special
A		







SPECIES OF THE ST. PAUL DISTRICT

SPECIES WARRANTING  
SPECIAL CONSIDERATION

**PART I**

SPECIES OF  
THE MISSISSIPPI RIVER  
HEADWATERS RESERVOIR REGION

PART I  
INDEX

MAMMALS, REPTILES, AMPHIBIANS, FISHES, AND BIRDS  
IN NEED OF SPECIAL CONSIDERATIONS

<u>NAME</u>	<u>PAGE</u>
BOBCAT (BAY LYNX)	10
BOBWHITE	26
CISCO, SUPERIOR BLACKFIN	22
CORMORANT, DOUBLE CRESTED	26
COUGAR	8
CRANE, SANDHILL	26
DARTER, LEAST	22
DEER, BLACKTAIL	10
DEER, MULE	10
EAGLE, BALD	26
EGRET, GREAT (COMMON EGRET)	28
ELK	8
FALCON, PEREGRINE	26
FISHER	8
FROG, BLANCHARD'S CRICKET	18
GULL, FRANKLIN'S	30
GREBE, WESTERN	28
HAWK, COOPER'S	30
HAWK, MARSH	28
HAWK, RED SHOULDERED	30
HERON, GREAT BLUE	30
KITE, SWALLOW-TAILED	28
LAMPREY, AMERICAN BROOK	22
LOON, COMMON	28
LYNX	8
MARTEN, PINE	8
MASSASAUGUS, EASTERN	14
MOUNTAIN LION	8
NEWT, CENTRAL	18
OSPREY	28
OWL, BURROWING	26
PADDLEFISH	22
PANTHER	8
PELICAN, WHITE	28
PRAIRIE CHICKEN, GREATER	26
PUMA	8

<u>NAME</u>	<u>PAGE</u>
RACERUNNER, SIX-LINED (WHIPTAIL LIZARD)	14
SALAMANDER, RED BACKED	18
SHINER, PUGNOSE	22
SKINK, FIVE LINED	14
STURGEON, LAKE	22
SUCKER, BLACK REDHORSE	22
SUCKER, BLUE	22
SWAN, TRUMPETER	26
TERN, COMMON	30
TURTLE, BLANDINGS	14
TURTLE, COMMON SNAPPING	14
TURTLE, FALSE MAP	14
TURTLE, WOOD	14
VOLE, ROCK	8
VOLE, YELLOWNOSE	8
WOLF, GRAY	8
WOLF, TIMBER	8
WOLVERINE (GLUTTON)	8
WOODPECKER, PILEATED	28

MAMMALS OF MINNESOTA  
IN NEED OF SPECIAL CONSIDERATIONS

PAGE NO: 1

ID NM	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	SPECIAL INFORMATION	SOURCE CODE
0059	PINE MARTEN MARTES AMERICANA	LARGE, OPEN, CLIMAX CONIFEROUS FORESTS (PIR, SPRUCE, HEMLOCK, CEDAR)	UPPER NEW ENGLAND HIGH MISC AND MINN N ROCKIES TO NEW MEXICO WASH, ORE, CALIF	UPPER HALF OF NORTH COUNTIES FROM LAKE SUPERIOR TO LAKE SUPERIOR	MN-THREATENED AND PROTECTED	110
0064	YELLOWNECK OR ROCK VOLE MICROTUS CHROTOMINUS	COOL, MOIST, ROCKY WOODLANDS	NE CORNER MN-QUEBEC NEW ENG EXCEPT COAST APPALACHIAN MTS TO GEORGIA	NORTHEAST CORNER	UNCOMMON AND VULNERABLE	100
0076	COUGAR, PANTHER, PUMA, MTH LION FELIS CONCOLOR	HUGHED MOUNTAINS SWAMPS, FORESTS, ONCE FOUND IN MOST OF US	FROM WEST COAST INTO ROCKY MOUNTAINS, * SOUTH TX LA AR MS FL N MN AND MTS	OCCASIONALLY WANDERS INTO NORTH CENTRAL THIRD OF MN	MN-RARE, LITTLE FUTURE US-ENDANGERED	110
0086	WOLFPINE (GLUTTON) GULO LUSCUS	HIGH MTS OF WEST TO TIMBERLINE, TUNDRA; WILDERNESS MAMMAL OF NORTH	NOW MOSTLY IN CANADA NW CORNER OF MONTANA AND NORTHERN AREA OF BIENNA NEVADA	NOT LIKELY, BUT MAY WANDER SOUTH FROM CANADA INTO NORTH EAST MINN	MN-PROTECTED, RARE WITH LITTLE FUTURE	110
0091	TIMBER OR GRAY WOLF CANIS LUPUS LYCAON	WILDERNESS FORESTS AND TUNDRA	N MINN AND MICHIGAN SMALL AREAS OF N MT, N IO, CENT OR, N NY, SE UT, SW CO, AZ	NORTHERN FIFTH	MN-PROTECTED US-ENDANGERED	100
0095	LYNX LYNX CANADENSIS	BOREAL FORESTS WITH SWAMPS	NORTH NEW ENGLAND, N HIGH MINN AND MISC CENTRAL ROCKIES, NORTH WEST MOUNTAINS, AK	NORTHERN THIRD EXCEPT WESTERN COUNTIES	UNCOMMON AND VULNERABLE	110
0100	FISHER MARTES PENNANTI	LARGE, CLIMAX, MIXED, CUTOVER HARDWOOD FORESTS; USUALLY NEAR WATER	N NEW ENGLAND MI MN WI ROCKIES (MONT, EAST IDAHO) WEST COAST (WASH ON NCA SIERRAS	NORTHERN THIRD ABSENT WEST OF RED LAKE AREA	UNCOMMON AND MN PROTECTED	110
0077	ELK CERVUS CANADENSIS	SEMI-OPEN FOREST, MT HEADS IN SUMMER FOOTHILLS, PLAINS, VALLEYS	SMALL AREAS OF WY, MN AR, SD, SOUTH N SOUTH CA, NORTH AZ, AR ROCKIES, COAST	SMALL AREA OF NORTHWEST ON CANADIAN BORDER	MN-PROTECTED, RARE WITH LITTLE FUTURE	100

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATES 07/12/78 11100107

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

MAMMALS OF MINNESOTA  
 IN NEED OF SPECIAL CONSIDERATIONS

PAGE 101 2

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	SPECIAL INFORMATION	SOURCE CODE
007A	ROBBERCAT LYNX LYNX RUFUS	SUBCLIMAX FORESTS & BUSH, PREFERRED BROWN WITH CONIFER SHAPPSY WEST CHAPARRAL	MOST OF US EXCEPT ON ONLY PART OF SD. VA AN MN IA MO AN MI IL IN PA THE SOUTH	NORTHWEST HALF	VULNERABLE	114
007B	HOLE OR BLACKTAIL DEER ODCOILEUS HEMIONUS	CONIFER FORESTS, UPPER SPRING AREAS, CHAPARRAL, GRASSLAND WITH SHRUBS	PRAIRIE STATES AND WESTWARD WEST MINN AND IOWA'S SOUTHERN WESTERN MOUNTAIN	WESTERN HALF ESPECIALLY THE NORTH WEST, MAY BE IN SOUTH EAST CORNER	MN-RARE	111

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (EIRIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/12/76 11149147

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

BIBLIOGRAPHY FOR  
MAMMALS OF MINNESOTA  
IN NEED OF SPECIAL CONSIDERATIONS

PAGE 101 1

SOURCE  
CODE

REFERENCE

- 104 BEYER, J. W. AND G. NICHOLSON, M.L., 1951, MAMMALS OF MINNESOTA, UNIVERSITY OF MINNESOTA PRESS, MINNEAPOLIS, 1951.
- 110 U.S. FOREST EXPERIMENT STATION, ST. PAUL, PERSONAL COMMUNICATIONS (1974) JIM DAVIS MECH (ALSO ROBERT BRANIFF 1970 OGNORTHLAND COLLEGE, ASHLAND, WISCONSIN MECH, 1973, WOLF HUMPHREYS IN SUPERIOR NATIONAL FOREST OF MN., ASHELM, 197 THE ADULT, AMERICAN MUSEUM OF NATURAL HISTORY, NEW YORK, CITY, N.Y., 1974
- 111 ROBERT WENHART, 1974, COMMISSIONER OF MINNESOTA DEPARTMENT OF NATURAL RESOURCES, COMMENTS ON THE DRAFT ENVIRONMENTAL IMPACT STATEMENT ON THE NINE FOOT CHANNEL.
- 112 HURNY, ELMER, 1974, (PERSONAL COMMUNICATION) MUSEUM OF NATURAL HISTORY, UNIVERSITY OF MINNESOTA, MINNEAPOLIS.
- 114 U.S. DEPARTMENT OF THE INTERIOR, BUREAU OF SPORT FISHERIES AND WILDLIFE, 1969 APPRAISAL OF FISH AND WILDLIFE RESOURCES OF THE PROPOSED VULFORDS NATIONAL PARK, 1969.

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
MUN. DATE: 07/12/74 1109117

DEVELOPED BY:  
ST. PAUL DISTRICT  
GROUP OF ENGINEERS  
ST. PAUL, MINN 55101

## PAGE 201

\*\*\*\*\*  
 EXECUTIONS OF THE ESTATE OF JAMES HENRY AND ANNE ELIZABETH STUBBS (DECEASED)  
 MINOR-INTERESTER'S SHARE SYSTEM  
 RUN DATE: 07/12/96 11:09:17

זיסע קאמפאניע  
 101-101-101  
 101-101-101  
 101-101-101

PRECEDING PAGE BLANK-NOT FILMED

BIBLIOGRAPHY FOR  
REPTILES & AMPHIBIANS  
IN NEED OF SPECIAL CONSIDERATIONS

PAGE 001

SOURCE  
CODE

REFERENCE

201 CONANT, R. 1956. FIELD GUIDE TO REPTILES AND AMPHIBIANS. HOUGHTON, MIFFLIN CO.,  
BOSTON, MASS.

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ENIAS)  
BIO-INFORMATION SIM SYSTEM  
RUN DATE: 07/12/76 11:09:17

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED



AMPHIBIANS OF MINNESOTA  
IN NEED OF SPECIAL CONSIDERATION

PAGE VII

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	SPECIAL INFORMATION	SOURCE CODE
0114	HEARNHARDT'S CRICKET FROG ALBIS CHERITANS FLAVIPARVUS	PERMANENT SHALLOW WATER WITH PLANTS, A SUNY SAND, MUD, MARSHES SMALL STREAMS	FLOR. AND KY. TO EAST SHORE, AND AL. PLUS THROUGHOUT SOUTHERN VT AND N.Y.	SOUTHEASTERN AND SOUTHWESTERN LOUISIANA	MIN-THREATENED	501
0126	RED-BACKED SALAMANDER PLETHODON CINEREUS CINEREUS	WOODED OR FORESTED AREAS, HIDING UNDER OBJECTS	SEA-LEVEL AND INTERIOR ONTARIO TO SOUTHEAST MINNESOTA SOUTHWEST MISSOURI	THE ST. CROIX RIVER AND LAKE SUPERIOR DRAINAGE BASINS	VULNERABLE	501
0120	CENTRAL NECT DIPHTICYLUS VIRIDESCENS LOUISIANENSIS	SWALES, SWAMPS, DITCHES WOODLAND POND, RIVER BOTTOMS	BETWEEN EAST ON TO EAST TX AND WEST MI TO LA. SOUTH AL, GA, SC AND FLORIDA	MISSISSIPPI RIVER VALLEY TO ITS HEADWATERS PLUS THE SOUTHEAST	VULNERABLE	501

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERTAS)  
HID-INFORMATION SUB-SYSTEM  
RUN DATE: 07/12/76 11:49:17

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

BIBLIOGRAPHY FOR  
AMPHIBIANS OF MINNESOTA  
IN NEED OF SPECIAL CONSIDERATIONS

PAGE NO. 1

SOURCE  
CODE

REFERENCE

101 CONANT, R. 1958. FIELD GUIDE TO REPTILES AND AMPHIBIANS. Houghton, Mifflin Co.,  
BOSTON, 465p.

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
MID-INFORMATION SUB-SYSTEM  
RUN DATE: 07/12/76 11169107

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

FISHES OF MINNESOTA  
IN NEED OF SPECIAL CONSIDERATIONS

PAGE 402 5

IC NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	SPECIAL INFORMATION	SOURCE CODE
0173	HADDLERISH PULMONO SPATULA	OPEN WATERS OF LARGE SILTY RIVERS, SOMETIMES IN LAKES.	MISSISSIPPI RIVER SYSTEMS MI RARE TO PA AND SOUTH TO NC, MS, LA AND TX.	MISSISSIPPI, ST. LOUIS, AND MINNESOTA RIVERS, IN SE PART OF STATE.	MN-RARE; PROTECTED, AND VULNERABLE	402
0243	BLACK REINHARDT RUBROSTOMA DUGESII	RELATIVELY SMALL CLEAR STREAMS	FROM ONTARIO S TOTAL AND ON IN MS RIVER AND GREAT LAKES TO FL	SOUTHEASTERN CORNER OF STATE	MN-RARE AND PROTECTED	425
0161	BLUE SICKER CYCLOPS FLONGATUS	LARGE RIVERS, DOES NOT TOLERATE POLLUTION.	FROM MINNESOTA AND WISCONSIN SOUTHWARD TO TENNESSEE AND SOUTHERN TEXAS	ST. LOUIS RIVER AND MISSISSIPPI RIVER SOUTH OF ST. PAUL.	RARE AND VULNERABLE	402
0200	SUPERIOR BLACKFIN CISC COREGONUS HIGHFINNIS CYANOPTERUS	OPEN WATERS.	LAKE SUPERIOR, (NAME) NEIGHANDI	LAKE SUPERIOR.	MN-RARE AND PROTECTED	402
0225	PUGNASE SHINER NOTEMIS ANDREWS	CLEAN AND DEEP WATERS OF LAKES AND STREAMS.	EASTERN NORTH DAKOTA EAST TO LAKE ONTARIO SOUTH TO SOUTHERN IL AND IN.	SCATTERED LOCALLY STATE-WIDE EXCEPT IN NORTHWEST AND S COUNTIES.	RARE AND VULNERABLE	433
0140	LEAST DARTER ETHOSTOMA MINIFRONS	SHALLOW WATERS OF LAKES AND SMALL STREAMS.	MINNESOTA EAST TO NEW YORK SOUTH TO KENTUCKY, ARKANSAS AND OKLAHOMA.	CENTRAL ONE-HALF OF STATE, SCATTERED LOCALLY ELSEWHERE.	RARE AND VULNERABLE	402
0246	LAKE STURGEON ALBIPINNUS FLOPPYFINN	LARGE LAKES AND RIVERS	GREAT LAKES DRAINAGE UPPER MISSISSIPPI RIVER AND HUDSON RAY DRAINAGE	LAKE SUPERIOR AND ST. LOUIS AND REL. LAKE, WARE AND MN RIVERS	MN-UNCOMMON AND PROTECTED	402
0231	AMERICAN HOOK LAMPREY LAMPREX LAMPREX	SMALL CLEAR STREAMS	GREAT LAKES TO TENNESSEE AND MISSOURI	ST. LOUIS MINNESOTA AND MISSISSIPPI RIVERS AND TRIBUTARIES	VULNERABLE	402

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (E-IA)  
HIGH-INFORMATION SUB-SYSTEM  
RUN DATE: 07/27/76 11:09:01

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

HIGHLIGHT MAP FOR  
FISHES OF MINNESOTA  
IN NEED OF SPECIAL CONSIDERATIONS

PAGE NO. 1

SOURCE	REFERENCE
--------	-----------

- |     |  |
|-----|--|
| 402 | FURY, S., AND J.C. UNDERHILL, 1974, NORTHERN FISHES, WITH SPECIAL REFERENCE TO THE UPPER MISSISSIPPI VALLEY, AND ED. UNIV. MINN. PRESS, MINNEAPOLIS, 414 PP.             |
| 425 | PHILLIPS, G.L., AND J.C. UNDERHILL, 1971, DISTRIBUTION AND VARIATION OF THE GATOSTOMIDAE OF MINNESOTA, OCCAS. PAPERS BELL MUS. NATURAL HIST. UNIV. MINN., NO. 10, 45 PP. |
| 433 | HAILEY, W.M., 1950, DISTRIBUTION OF THE AMERICAN CYPRINID FISH, NOTEMPHIS ANOGENUS, COPEIA NO. 2, 119-123.   |

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
MIN- INFORMATION SUB-SYSTEM  
RUN DATE: 07/12/76 11160107

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

BIRDS OF MINNESOTA  
IN NEED OF SPECIAL CONSIDERATIONS

PAGE 501 6

ID NM	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	SPECIAL INFORMATION	SOURCE CODE
0417	PEREGRINE FALCON FALCO PEREGRINUS	NESTS ON SHELF OR FACE OF HIGH CLIFF OR BLUFF	SW US MIDWEST, NE US MOUNTAINS	WANE MIGRANT STATE-WIDE, RARE COMMON SW, NW, WANE C	MN-RARE AND PROTECTED US ENDANGERED	504
0423	GREATER PRAIRIE CHICKEN TYPHAPETUS CUPIPO	VIRGIN GRASSLANDS AND PRAIRIES, DECLINING LOSS OF HABITAT	GREAT PLAINS FROM IL TO MI AND AR	SW NW, WANE C SW WANE C, SW DECLINING	MN-THREATENED AND PROTECTED	504
0510	HUMMINGBIRD OWL SPOTTY CONICULARIA	COMMON USUALLY NESTING IN PRAIRIE DUG IDONS	W HALF US	WANE TO W PRAIRIE WANE	MN-THREATENED AND PROTECTED	504
0432	SANDHILL CRANE GRUS CANADENSIS	LARGE WET SLUGGS ON LOW PRAIRIE	WEEBOS W TO MI WINTERS LAKE, WANE E OF MISS, WINE	COMMON MIGRANT W SW NW	MN-THREATENED AND PROTECTED	504
0425	HUMPHREY CULINUS VIRGINIANUS	NESTS EDGES, FIELDS OPENING IN WOODS IN LONG GRASS	SW WY TO NE, ED TO TX AND FL	W SEVERAL WANE C	MN-THREATENED AND PROTECTED	504
0345	DOUBLE-CRESTED CORMORANT PHALACROCORAX AURITUS	COLONIAL NEST IN TOPS OF TREES WITH GREAT BLUE HERONS	WY WANE TO W, TO MAINE TO FL KEYS TO TX TO AR	COMMON MIGRANT AND SUMMER RESIDENT WEEBOS NW AND WEST CENTRAL	VULNERABLE	504
0412	HALL EAGLE HALIAETUS LEUCORHAEUS	NEST IN FORESTED AREA IN TREE TOPS AND NEAR OPEN WATER	WEEBOS NATIONWIDE WINTERS SAME AREA	UNCOMMON TO WANE WANE WANE ALONG OPEN WATER OF MISSISSIPPI RIVER	MN-UNCOMMON AND PROTECTED US-SOUTHERN RACE ENDANGERED	504
0361	THE-PETER SNAKE ELAPSE MOLLIGATOR	OCCURS ONLY DURING MIGRATION	WINTERS IN TEXAS MONTANA AND WYOMING	INTRODUCED INTO CARVER COUNTY	MN-PROTECTED, RARE WITH LITTLE FUTURE	504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
HOW INFORMATION SUB-SYSTEM  
HOW DATE 07/12/74 11:00:07

DEVELOPED BY  
ST. PAUL DISTRICT  
U.S. DEPT. OF AGRICULTURE  
ST. PAUL, MINN. 55101

PRECEDING PAGE BLANK-NOT FILMED

BIRDS OF MINNESOTA  
IN NEED OF SPECIAL CONSIDERATIONS

PAGE NO. 7

ID NO.	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	SPECIAL INFORMATION	SOURCE CODE
0525	PALFATED WHIPPETREE DYUCOPUS PILEATUS	UNCOMMON IN EXTENSIVE DECIDUOUS OR MIXED FORESTS	MN NW CORNER, E HALF US	MN STATEWIDE, RARE S HALF	MN-PROTECTED AND VULNERABLE	504
0335	COMMON LOON GAVIA IMMER	BREEDS ALONG LAKES AND RIVERS, WINTERS ALONG COASTS	NORTHERN US, WINTERS N LIMIT OPEN WATER TO CALIFORNIA AND GULF COAST	COMMON SUMMER RESIDENT THROUGHOUT STATE LESS FREQUENT IN PRAIRIE	MN-PROTECTED AND VULNERABLE	505
0303	WHITE PELICAN PELICANUS ERYTHORHYNCHOS	NEST ON ROCKY LAKE SHORES AND ISLANDS OF TEXAS	BREEDS S CA, N UTAH, NORTH DAKOTA, COAST OF TEXAS	COMMON MIGRANT WEST-CENTRAL, S.W. AND SOUTHWEST-CENTRAL, BREEDS N AND S	MN-PROTECTED AND VULNERABLE	506
0414	OSPREY PANDION HALIAETUS	NESTS TOP DEAD TREES NOT FAR FROM WATER BECOMING SCARCE	BREEDS GULF OF MEX. N TO N US	UNCOMMON MIGRANT STATEWIDE BREEDS NE N-CENTRAL	MN-UNCOMMON, PROTECTED AND VULNERABLE	504
0415	HARSH HAWK CIRCUS CYANEUS	NESTS ON GROUND IN OPEN OR BUSHY MEADOWS	BREED CA TO N TA TO OH TO VA NORTHWARD WINTERS ALL BUT SE US	COMMON STATEWIDE TN AND SH, UNCOMMON N STATEWIDE	MN-PROTECTED AND VULNERABLE	504
0501	WESTERN GREBE ALCMORPHOS OCCIDENTALIS	NESTS ON LARGE DEEP LAKES FLOATING NEST- ING REEDS AND RUSHES COLONIAL	BREEDS CA TO NE, SD, MN WINTERS CA AND NV	REGULAR MIGRANT AND SUMMER RESIDENT BREEDS N TO S IN WEST	MN-UNCOMMON PERIPHERAL, PROTECTED	504
0400	SHALLOW-TAILED NITE ELANOIDES FURCATUS	NESTS IN HEAVILY TIMBERED AREAS, NESTS IN TOPS OF TALL TREES	BREEDS TA, LA, SC, WA, AND FL, ACCIDENTAL E HALF US	ACCIDENTAL SE HALF OF STATE	MN-PROTECTED AND RARE, LITTLE FUTURE	504
0350	GREAT HURON (COMMON) EGRET CASIMIRODUS ALBUS	COLONIAL WITH OTHER HERONS NESTS TREE TOPS	BREEDS OHIOGON TO TX TO NJ, WANDERS N IN FALL TO N US, WINTERS S US	BREEDS S-CENTRAL ADVANCING WESTWARD COMMON MIGRANT S RARE N	MN-PROTECTED AND VULNERABLE	504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
MID-INFORMATION SUB-SYSTEM  
MINN DATE: 07/27/74 11009167

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

BIRDS OF MINNESOTA  
IN NEED OF SPECIAL CONSIDERATIONS

PAGE NO. 1

ID NO.	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	SPECIAL INFORMATION	SOURCE CODE
0306	GREAT BLUE HERON ARDEA HERODIAS	COLONIAL TREE TOP NESTED OFTEN ON ISLANDS IN LAKES AND RIVERS	BREEDS ENTIRE U.S. -INTENS & 1-2 THIRDS U.S.	COMMON SUMMER RESIDENT ENTIRE STATE, RARE IN WINTER ST.	MN-PROTECTED AND VULNERABLE	506
0406	RED SHOULDERED HAWK BUTOR LINEATUS	NESTS IN TREES 35 TO 60 FEET UP	E 1-2-3 THIRDS U.S.	CASUAL STATE-IDE IN SW AND NW SE QUARTER	MN-RARE AND PROTECTED	506
0403	CUNNERS HAWK ACCIPITER CUOPERII	NESTS IN WOODED AREA IN TREES 15 TO 50 FEET UP	NATION-IDE	SW STATE-IDE, RARE ON PHAIRIES, UNCOMMON NW, IV STATE-IDE BUT UNCOMMON	MN-PROTECTED	506
0406	FRANKLIN'S GULL LARUS PIPIECAN	COMMON ON PHAIRIES	SW SO NW PHAIRIES ON GULF COAST	SPRING, COMMON IN NW, SA, SW SA, SV SO E.	MN-PROTECTED	506
0402	COMMON TERN STERNA TERNA MINOR	NESTS IN COLONIES IN DEPRESSIONS ON SANDY BEACHES OF SMALL ROCKY ISLANDS	BREEDS IN THIRD US PLUS SW IV, FL, AND N HALF EAST COAST	IV COMMON E HALF UNCOMMON W HALF BREEDS AL AND NE, SV ELSEWHERE	MN-PROTECTED	506

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIG-INFORMATION SUB-SYSTEM  
RUN DATE: 07/12/76 11:49:17

DEVELOPED BY:  
ST. PAUL DISTRICT  
CHIEF OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILLED

BIBLIOGRAPHY FOR  
BIRDS OF MINNESOTA  
IN NEED OF SPECIAL CONSIDERATIONS

PAGE 501 1

SOURCE  
CODE

REFERENCE

503 MOBERTS, THOMAS S. 1932, THE BIRDS OF MINNESOTA, FIRST EDITION, VOL. 1-2, THE  
UNIVERSITY OF MINNESOTA PRESS, MINNEAPOLIS.

504 JANSSEN, R. AND GREEN, J. 1970, MINNESOTA BIRDS.  
(UNPUBLISHED MANUSCRIPT).

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (EMIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/12/76 11149147

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILLED



SPECIES OF THE ST. PAUL DISTRICT

GENERAL  
SPECIES LIST

**PART II**

SPECIES OF  
THE MISSISSIPPI RIVER  
HEADWATERS RESERVOIR REGION

PART II  
INDEX

MAMMALS, REPTILES, AMPHIBIANS AND FISHES  
OF THE MISSISSIPPI RIVER HEADWATERS REGION

NAME	PAGE
BADGER	55
BASS, LARGEMOUTH	87
BASS, ROCK	87
BASS, SMALLMOUTH	87
BAT, BIG BROWN	47
BAT, HOARY	47
BAT, KEENS	45
BAT, LITTLE BROWN	45
BAT, RED	47
BAT, SILVER HAIR	47
BEAR, BLACK	53
BEAVER	53
BITTERN, AMERICAN	99
BITTERN, LEAST	99
BLACKBIRD, BREWERS	157
BLACKBIRD, REDWINGED	157
BLACKBIRD, RUSTY	157
BLACKBIRD, YELLOW-HEADED	157
BLUEBIRD, EASTERN	143
BLUEBIRD, MOUNTAIN	143
BLUEGILL	89
BOBCAT (BAY LYNX)	59
BOBOLINK	155
BULLHEAD, BLACK	85
BULLHEAD, BROWN	77
BUNTING, INDIGO	159
BUNTING, LAZULI	161
BUNTING, SNOW	161
BURBOT	83
CARDINAL	159
CARP	79
CARPSUCKER, QUILLBACK	85
CATBIRD, GRAY	141
CATFISH, CHANNEL	77
CHICKADEE, BLACK-CAPPED	139
CHICKADEE, BOREAL	139
CHIPMUNK, EASTERN	47
CHIPMUNK, LEAST	49

<u>NAME</u>	<u>PAGE</u>
CHUB, CREEK (HORNED DACE)	93
CHUB, HORNHEAD	93
CORMORANT, DOUBLE-CRESTED	99
COUGAR	57
COWBIRD, BROWN HEADED	159
COYOTE (BRUSH WOLF)	57
CRAPPIE, BLACK	89
CRAPPIE, WHITE	89
CREEPER, BROWN	139
CROSSBILL, RED	163
CROSSBILL, WHITE-WINGED	163
CROW, COMMON	139
CUCKOO, BLACK BILLED	127
CUCKOO, YELLOW BILLED	127
CURLEW, LONG BILLED	117
DACE, BLACKNOSE	93
DACE, GREAT LAKES LONGNOSE	79
DACE, NORTHERN PEARL	81
DACE, NORTHERN REDBELLY	81
DARTER, BLACKSIDE	87
DARTER, IOWA	85
DARTER, JOHNNY	87
DARTER, LEAST	79
DARTER, SCALY JOHNNY	79
DEER, MULE OR BLACKTAIL	59
DEER, VIRGINIA OR WHITETAIL	59
DICKCISSEL	161
DOGFISH, FRESH WATER (BONFIN)	75
DOVE, MOURNING	125
DOVE, ROCK	125
DOVEKIE	125
DOWITCHER, LONG-BILLED	119
DOWITCHER, SHORT-BILLED	119
DUCK, AMERICAN WIGEON	103
DUCK, BARROWS GOLDENEYE	105
DUCK, BLACK	101
DUCK, BLACK (COMMON) SCOTER	107
DUCK, BUFFLEHEAD	105
DUCK, CANVASBACK	103
DUCK, COMMONEIDER	105
DUCK, COMMON GOLDENEYE	105
DUCK, COMMON MERGANSER	107
DUCK, EUROPEAN WIGEON	103
DUCK, GREATER SCAUP	105
DUCK, HOODED MERGANSER	107
DUCK, MALLARD	101
DUCK, OLD SQUAW	105
DUCK, PINTAIL	101
DUCK, RED BREASTED MERGANSER	107
DUCK, REDHEAD	103
DUCK, RING-NECKED	103
DUCK, RUDDY	107

NAME	NAME
DUCK, SURF SCOTER	105
DUCK, WHITE-WINGED SCOTER	105
DUCK, WOOD	103
DUNLIN	119
EAGLE, BALD	111
EAGLE, GOLDEN	109
EGRET, GREAT (COMMON EGRET)	99
FINCH, PURPLE	161
FISHER	55
FLICKER, COMMON (YELLOW-SHAFTED)	131
FLYCATCHER, ALDER (TRAILL'S)	135
FLYCATCHER, GREAT CRESTED	133
FLYCATCHER, LEAST	135
FLYCATCHER, OLIVE SIDED	135
FLYCATCHER, SCISSOR-TAILED	133
FLYCATCHER, WILLOW (TRAILL'S)	135
FLYCATCHER, YELLOW BELLIED	135
FOX, GRAY	57
FOX, RED	57
FROG, BOREAL CHORUS	71
FROG, EASTERN GRAY TREE	69
FROG, GREEN	71
FROG, MINK	71
FROG, NORTHERN LEOPARD	71
FROG, SPRING PEEPER	69
FROG, WESTERN CHORUS	71
FROG, WOOD	71
GALLINULE, COMMON	113
GARTER SNAKE, EASTERN	63
GARTER SNAKE, NORTHERN PLAINS	63
GARTER SNAKE, WESTERN PLAINS	63
GNATCATCHER, BLUE-GRAY	145
GODWIT, HUDSONIAN	121
GOLDEYE	75
GOLDFINCH, AMERICAN	163
GOOSE, BLACK BRANT	101
GOOSE, CANADA	101
GOOSE, SNOW (BLUE GOOSE)	101
GOOSE, WHITE FRONTED	101
GOPHER, PLAINS (MISSISSIPPI) POCKET	49
GRACKLE, COMMON	157
GREBE, EARED	97
GREBE, HORNED	97
GREBE, PIED-BILLED	97
GREBE, RED-NECKED	97
GREBE, WESTERN	97
GREEN SNAKE, EASTERN SMOOTH	65
GROSBEAK, BLACK-HEADED	159
GROSBEAK, EVENING	161
GROSBEAK, PINE	161
GROSBEAK, RED (ROSE) BREASTED	159
GROUSE, RUFFED	113

<u>NAME</u>	<u>PAGE</u>
GROUSE, SHARP-TAILED	113
GROUSE, SPRUCE	111
GULL, BONAPARTE'S	123
GULL, FRANKLIN'S	123
GULL, GLAUCOUS	123
GULL, HERRING	123
GULL, ICELAND	123
GULL, RING-BILLED	123
HARE, SNOWSHOE (VARYING)	53
HAWK, AMERICAN KESTREL (SPARROW HAWK)	111
HAWK, BROAD WINGED	109
HAWK, COOPERS	109
HAWK, FERRUGINOUS	109
HAWK, GOSHAWK	107
HAWK, GYRFALCON	111
HAWK, MARSH	111
HAWK, OSPREY	111
HAWK, PEREGRINE FALCON	111
HAWK, PIGEON OR MERLIN	111
HAWK, RED SHOULDERED	109
HAWK, RED TAILED	109
HAWK, ROUGH-LEGGED	109
HAWK, SHARP SHINNED	107
HAWK, SWAINSONS	109
HERON, GREAT BLUE	99
HERON, LITTLE BLUE	99
HOGNOSE SNAKE, EASTERN	63
HUMMINGBIRD, RUBY-THROATED	131
JAEGER, LONG-TAILED	123
JAEGER, PARASITIC	121
JAEGER, POMARINE	121
JAY, BLUE	137
JAY, GRAY (OR CANADIAN)	137
JUNCO, DARK-EYED (SLATE-COLORED)	165
KILLDEER	115
KILLFISH, WESTERN BANDED	79
KINGBIRD, EASTERN	133
KINGBIRD, WESTERN	133
KINGFISHER, BELTED	131
KINGLET, GOLDEN CROWNED	145
KINGLET, RUBY-CROWNED	145
LAMPREY, AMERICAN BROOK	83
LAMPREY, CHESTNUT	83
LAMPREY, SILVER	83
LARK, HORNED	135
LEMING, SOUTHERN BOG	51
LOON, COMMON	97
LOON, REDTHROATED	97

NAME	PAGE
LYNX	57
MADTOM, TADPOLE	85
MAGPI, BLACK-BILLED (AMERICAN)	137
MARTIN, PURPLE	137
MEADOWLARK, EASTERN	157
MEADOWLARK, WESTERN	157
MINK	55
MINNOW, BLUNTNOSE	81
MINNOW, BRASSY	79
MINNOW, FATHEAD	91
MINNOW, NORTHERN FATHEAD	81
MOCKINGBIRD	141
MOLE, STARNOSE	45
MOONEYE	77
MOOSE	59
MOUNTAIN LION	55
MOUSE, BOREAL REDBACK	51
MOUSE, HOUSE	51
MOUSE, MEADOW JUMPING	53
MOUSE, PRAIRIE DEER (WHITEFOOTED)	49
MOUSE, WHITE-FOOTED	51
MOUSE, WOODLAND (CANADIAN) DEER	51
MOUSE, WOODLAND JUMPING	53
MUDMINNOW, CENTRAL	91
MUDPUPPY	69
MURRELET, ANCIENT	125
MUSKELLUNGE	77
MUSKRAT	53
NEWT, CENTRAL	69
NIGHTHAWK, COMMON	129
NIGHTHERON, BLACK-CROWNED	99
NIGHTHERON, YELLOW-CROWNED	99
NUTCRACKER, CLARK'S	139
NUTHATCH, RED-BREASTED	139
NUTHATCH, WHITE-BREASTED	139
ORIOLE, NORTHERN (BALTIMORE)	157
OTTER, RIVER	55
OVENBIRD	153
OWL, BARRED	127
OWL, BOREAL	129
OWL, GREAT GRAY	127
OWL, GREAT HORNED	127
OWL, HAWK	127
OWL, LONG-EARED	129
OWL, SAW-WHET	129
OWL, SCREECH	127
OWL, SHORT-EARED	129
OWL, SNOWY	127

<u>NAME</u>	<u>PAGE</u>
PANTHER	57
PEEWEE, EASTERN WOOD	135
PELICAN, WHITE	97
PERCH, LOG	87
PERCH, YELLOW	87
PHALAROPE, NORTHERN	121
PHALAROPE, RED	121
PHEASANT, RING-NECKED	113
PHOEBE, EASTERN	133
PIGEON, BAND TAILED	125
PIKE, NORTHERN	77
PIPIT, SPRAGUE'S	145
PIPIT, WATER	145
PLOVER, AMERICAN GOLDEN	115
PLOVER, BLACK BELLIED	115
PLOVER, PIPING	115
PLOVER, SEMIPALMATED	115
POOR-WILL	129
PORCUPINE	53
PRAIRIE CHICKEN, GREATER	113
PUMA	57
RABBIT, EASTERN COTTONTAIL	53
RACCOON	55
RAIL, SORA	113
RAIL, VIRGINIA	113
RAIL, YELLOW	113
RAT, NORWAY, BROWN OR HOUSE	51
RAVEN, COMMON	137
RED KNOT	117
REDPOLL, COMMON	161
REDPOLL, HOARY	161
REDSTART, AMERICAN	155
ROBIN, AMERICAN	141
SALAMANDER, BLUE SPOTTED	69
SALAMANDER, JEFFERSON	69
SALAMANDER, TIGER	69
SALMON, CHINOOK (KING, PACIFIC)	75
SALMON, KOKANEE	75
SANDERLING	121
SANDPIPER, BAIRD'S	119
SANDPIPER, BUFF-BREASTED	121
SANDPIPER, LEAST	119
SANDPIPER, PECTORAL	119
SANDPIPER, SEMIPALMATED	119
SANDPIPER, SOLITARY	117
SANDPIPER, SPOTTED	117
SANDPIPER, UPLAND	117
SANDPIPER, WESTERN	121
SANDPIPER, WHITE-RUMPED	119

<u>NAME</u>	<u>PAGE</u>
SAPSUCKER, YELLOW-BELLIED	131
SCULPIN, MOTTLED	85
SHINER, BLACKCHIN	81
SHINER, BLACKNOSE	91
SHINER, CENTRAL BIGMOUTH	83
SHINER, COMMON CENTRAL	91
SHINER, EMERALD	91
SHINER, NORTHERN COMMON	83
SHINER, NORTHERN SPOTTAIL	83
SHINER, PUGNOSE	81
SHINER, RIVER	81
SHINER, SAND	91
SHINER, SPOTFIN	91
SHINER, WESTERN GOLDEN	81
SHREW, ARCTIC (RICHARDSON)	45
SHREW, MASKED	45
SHREW, NORTHERN WATER	45
SHREW, PIGMY	45
SHREW, SHORTTAIL	45
SHRIKE, LOGGERHEAD	139
SHRIKE, NORTHERN	139
SILVERSIDE, NORTHERN BROOK	77
SISKIN, PINE	163
SKINK, N PRAIRIE, BLACK BANDED	63
SKUNK, SPOTTED (CIVET CAT)	57
SKUNK, STRIPED	57
SNIFE, COMMON (WILSON'S)	115
SOLITAIRE, TOWNSENDS	145
SPARROW, CHIPPING	165
SPARROW, CLAY-COLORED	165
SPARROW, FIELD	165
SPARROW, FOX	161
SPARROW, GRASSHOPPER	163
SPARROW, HARRIS	167
SPARROW, HOUSE	155
SPARROW, LARK	165
SPARROW, LE CONTE'S	163
SPARROW, LINCOLN'S	167
SPARROW, SAVANNAH	163
SPARROW, SHARP-TAILED	165
SPARROW, SONG	167
SPARROW, SWAMP	167
SPARROW, TREE	165
SPARROW, VESPER	165
SPARROW, WHITE-CROWNED	167
SPARROW, WHITE-THROATED	167
SQUIRREL, EASTERN FOX	49
SQUIRREL, EASTERN GRAY	49
SQUIRREL, FRANKLINS GROUND	47
SQUIRREL, NORTHERN FLYING	49



<u>NAME</u>	<u>PAGE</u>
SQUIRREL, RED OR SPRUCE	49
SQUIRREL, SOUTHERN (LITTLE) FLYING	49
SQUIRREL, THIRTEEN-LINED GROUND	47
STARLING	147
STICKLEBACK, BROOK	89
STICKLEBACK, NINESPINE	91
STONECAT	77
STONEROLLER, CENTRAL	79
STURGEON, LAKE	80
STURGEON, SHOVELNOSE	80
SUCKER, GOLDEN REDHORSE	85
SUCKER, NORTHERN REDHORSE	77
SUCKER, SILVER REDHORSE	85
SUCKER, WHITE (COMMON)	85
SUNFISH, GREEN	89
(SUNFISH), PUMPKIN SEED	89
SWALLOW, BANK	137
SWALLOW, BARN	137
SWALLOW, ROUGH-WINGED	137
SWALLOW, TREE	135
SWAN, WHISTLING	101
SWIFT, CHIMNEY	129
TANAGER SCARLET	159
TANAGER, SUMMER	159
TANAGER, WESTERN	159
TEAL, BLUE WINGED	103
TEAL, GREEN WINGED	103
TERN, BLACK	125
TERN, CASPIAN	125
TERN, COMMON	125
TERN, FORSTERS	123
THRASHER, BROWN	141
THRUSH, GRAY-CHEEKED	143
THRUSH, HERMIT	143
THRUSH, SWAINSONS (OLIVE-BACKED)	143
THRUSH, VARIED	143
THRUSH, WOOD	143
TITMOUSE, TUFTED	139
TOAD, AMERICAN	69
TOWHEE, RUFOUS-SIDED (RED-EYED, E)	163
TROUT, BROWN	75
TROUT, EASTERN BROOK	75
TROUT, LAKE	75
TROUT, RAINBOW	75
TROUT-PERCH	83
TURNSTONE, RUDDY	115
TURTLE, BLANDINGS	63
TURTLE, COMMON SNAPPING	63
TURTLE, WESTERN PAINTED	63

<u>NAME</u>	<u>PAGE</u>
VEERY	143
VIREO, PHILADELPHIA	147
VIREO, RED-EYED	147
VIREO, SOLITARY	147
VIREO, WARBLING	147
VOLE, BOREAL REDBACK	51
VOLE, MEADOW (COMMON, PENNSYLVANIA)	51
VOLE, PRAIRIE	51
VULTURE, TURKEY	107
WALLEYE	87
WARBLER, BAY BREASTED	151
WARBLER, BLACK-AND-WHITE	147
WARBLER, BLACKBURNIAN	151
WARBLER, BLACKPOLL	153
WARBLER, BLACK-THROATED BLUE	151
WARBLER, BLACK THROATED GREEN	151
WARBLER, CANADA	155
WARBLER, CAPE MAY	151
WARBLER, CERULEAN	151
WARBLER, CHESTNUT SIDED	151
WARBLER, CONNECTICUT	153
WARBLER, GOLDEN-WINGED	149
WARBLER, HOODED	155
WARBLER, KENTUCKY	153
WARBLER, MAGNOLIA	149
WARBLER, MOURNING	155
WARBLER, NASHVILLE	149
WARBLER, NORTHERN PARULA	149
WARBLER, ORANGE CROWNED	149
WARBLER, PALM	153
WARBLER, PINE	153
WARBLER, PRAIRIE	153
WARBLER, PROTHONOTARY	149
WARBLER, TENNESSEE	149
WARBLER, WILSON'S	155
WARBLER, YELLOW	149
WARBLER, YELLOW RUMPED (MYRTLE)	151
WATERTHRUSH, NORTHERN	153
WAXWING, BOHEMIAN	145
WAXWING, CEDAR	145
WEASEL, LEAST	55
WEASEL, LONGTAIL	55
WEASEL, SHORTTAIL	55
WHIMBREL	117
WHIP-POOR-WILL	129
WHITEFISH, GREAT LAKES	79
WOLF, TIMBER OR GRAY	57
WOODCOCK, AMERICAN	115
WOODCHUCK (GROUND HOG, MARMOT)	47

<u>NAME</u>	<u>PAGE</u>
WOODPECKER, BLACK-BACKED THREE-TOED	133
WOODPECKER, DOWNY	133
WOODPECKER, HAIRY	131
WOODPECKER, NORTHERN THREE-TOED	133
WOODPECKER, PILEATED	131
WOODPECKER, RED-BELLIED	131
WOODPECKER, RED-HEADED	131
WREN, HOUSE	141
WREN, LONG BILLED MARSH	141
WREN, SHORT BILLED MARSH	141
WREN, WINTER	141
YELLOWLEGS, GREATER	117
YELLOWLEGS, LESSER	117
YELLOWTHROAT, COMMON	155

ID NO	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0002	MARSH SHREW Sorex cinereus	MOIST SITUATIONS IN FORESTS, BUSHLAND AND OPEN COUNTRY, WITH ABUNDANT COVER	NORTH WEST CO. WA. AK EAST FROM IDAHO IN APPALACHIA; ABSENT IN KS AND SOUTHWARD	STATE-WIDE		104
0003	ARCTIC (RICHARDSON) SHREW Sorex arcticus	MOIST AS SPRUCE AND TAMARACK BOWS AND WET MEADOWS	HIGH UPPER PENINSULA - WISCONSIN, MINNESOTA, EASTERN NORTH DAKOTA ALASKA	NORTHERN HALF AND TO TRIN CITIES ON THE EASTERN HALF		104
0004	NORTHERN WATER SHREW Sorex palustris	ALONG COLD, SHALL STREAMS WITH COVERAGE BANKS; ABSENT ONLY IN MNTS IN SOUTH	NEW ENG., APPALACHIA TO GRAN MI MI AND SE NORTHWEST UP NEBRASKA, NORTH OF ANCH	NORTHERN HALF AND TO TRIN CITIES ON THE EASTERN HALF		104
0005	PICHY SHREW Microsorex hoyi	WOODS AND ADJACENT GRASS CLEARINGS; PREFERS WET BUT ALSO IN DRY HABITAT	NEW ENG. TO SE OHIO BORDER; IN VA, TN, NC; GREAT LAKES TO NDB N TIP ID MI WA	EASTERN HALF PLUS THE NORTHWEST		104
0007	SNOUTTAIL SHREW Blarina neveicauda	PREFERS SUBCLIMAX FOREST, MASH, BUSH, GRASSLAND; MOIST, OPEN ABUNDANT COVER	EASTWARD FROM SD TO TX (ONLY EAST PART OF ND SD NE KS TX)	STATE-WIDE		104
0008	STARNOSE MOLE Condylura christata	LOW WET GROUND NEAR LAKES OR STREAMS	NE US INTO CANADA NEW ENG., APPALACHIA TO GULF COAST TO NDB WEST LAKES AND IN	MISSISSIPPI RIVER VALLEY AND NORTHEAST QUARTER OF ILL.		104
0010	LITTLE HOUDAN BAT Myotis lucifugus	CAVES, HIDE TUNNELS HOLLOW TREES, BUILDINGS	NORTH TO THRU US, NORTH OF AR TO CA & NORTH OF LA TO FL CANADA AND AK	STATE-WIDE		104
0011	KEPNS BAT Myotis keeni	CAVES, HIDE TUNNELS, HOLLOW TREES, BUILDINGS, STUMP SERIES, FORESTS	EAST OF MN SD NORTH NE, NORTH OF LA, ALA WA, ONLY WEST NORTH NEAR AZ & NM	EASTERN HALF		104

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
HIGH INFORMATION SUB-SYSTEM  
MUN DATE: 07/20/79 22104155

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

## MAMMALS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 2

ID NM	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0015	SILVER HAIRED RAT LARIPTACTERIS NUCTIVAGANS	FORESTED AREAS, CAVES BUILDINGS	MOST OF UNITED STATES ABSENT FROM FL, SOUTH SC GA AL MS LA TX CA AND ARIZONA	STATE-WIDE EXCEPT NORTHEAST AND SOUTH- EAST BORDERS		104
0015	BIG BROWN RAT FTESTICUS FUSCUS	CAVES, MINE TUNNELS, ROCK CREVICES, WOODED AREAS AND BUILDINGS NEAR WATER	CONTINENTAL UNITED STATES EXCEPT FL (IS IN WEST CENTRAL FLORIDA 1)	SOUTHEAST QUARTER		104
001A	RED RAT LASIURUS AUREALIS	WOODED AREAS	MOST OF US EXCEPT ROCKY MTS, ONLY SMALL PARTS OF NM CO WY MT WV OH NY VT FL	ALL BUT NORTHEAST CORNER		104
0017	MURRY RAT LASIURUS CINEREUS	WOODED AREAS	CONTINENTAL UNITED STATES EXCEPT SOUTHERN FLORIDA	STATE-WIDE EXCEPT NORTHEAST AND SOUTHWEST CORNER		104
0018	WOODCHUCK (GROUND HOG, HAMPOT MARMOTA MOMAX	OPEN SUNCLIMAX WOODS BRUSHY AND ROCKY HAYFENS, SHRUB STAGES PIONEER FOREST	W. & E. AS NE NOT INTO MO AND EAST AND ARIZONA NORTH MS AL GA SC AND NC	STATE-WIDE EXCEPT SOUTHWEST CORNER		104
0020	13-LINED GROUND SQUIRREL SPERMOPHILUS (CITELLUS) TRIDACTYLUS	SHORTGRASS PRAIRIES	EAST MT TO SOUTH NM, EAST TO LINE FROM ST TX TO NE OHIO THRU OK MO IL IN OH	ALL BUT NORTHEAST CORNER		104
0021	FRANKLIN'S GROUND SQUIRREL SPERMOPHILUS (CITELLUS) FRANKLINI	FAIRLY TALL GRASS OR HAYFENS, BORDERS OF FIELDS, OPEN WOODS, MARSH EDGES	NORTH CENTRAL US ALL OF 1A, MOST OF MO SO NE MS MO IL MN PARTS OF WISC AND IN	ALL BUT NORTHEAST QUARTER AND SOUTH- EAST AND SOUTHWEST CORNERS		104
0022	EASTERN CHIPMUNK TAMIAS STRIPATUS	DECIDUOUS FORESTS, BRUSHY AREAS, SUNCLIMAX FORESTS	EAST OF PRAIRIE, E NO TO N LA AND EAST AND EXCEPT FL AND ST LA MS AL GA SC NC	STATE-WIDE EXCEPT SOUTHWEST CORNER		104

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 RIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/04/76 22:04:51

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0023	LEAST CHIMMUNK PUTAMIAS MINIMUS	SALE DESERTS, HIGH MT CONIFER FOREST, NORTH MIXED HARDWOOD, SEMI- OPEN AREAS	NORTH MI WI MN AND ND, CENTRAL PART OF WEST (S AM TO CANADA) W NE TO E CA	NORTHERN THIRD		104
0024	EASTERN GRAY SQUIRREL SCIURUS CAROLINENSIS	HARDWOOD FORESTS WITH NOT TREES; RIVER BOTTOMS; SUM- CLIMAX FORESTS	EAST MD TO EAST TX AND EASTWARD	STATE-WIDE		104
0025	EASTERN FOX SQUIRREL SCIURUS NIGER	OPEN HARDWOODS, WOOD LOTS IN NORTH AND PINE FOREST IN SOUTH CLEARING SUMCLIMAX	NORTH DAKOTA TO TEXAS (PRAIRIE STATES AND EAST, EXCEPT NE PA, NY NEW ENGLAND)	STATE-WIDE EXCEPT NORTHEAST BORDER		104
0026	RED OR SPRUCE SQUIRREL TAMIASCIURUS HUDSONICUS	PINE AND SPRUCE OR MIXED HARDWOOD (CLIMAX) FORESTS, ALSO SWAMPS	ARKANSAS TO NE NE- ENGRAPALACHIA TO GAUGHT LBS INTO E ND + IAG IL, IN OH	STATE-WIDE EXCEPT SOUTHWEST QUARTER		104
0027	SOUTHERN (LITTLE) FLYING SQUIRREL GLAUCOMYS VOLANS	WOODLOTS AND FORESTS OCCASIONAL ONLY ON MIXED WITH CONIFERS; CLIMAX FORESTS	MA, IA, EAST NE AS OR TX, AND EASTWARD, NOT IN NORTH MI WI MN VT, ONLY S MAIN	THE SOUTHERN HALF PLUS THE MISSISSIPPI HEADWATER RESERVOIR AREA		104
0028	NORTHERN FLYING SQUIRREL GLAUCOMYS SABINUS	CONIFEROUS OR MIXED CLIMAX FORESTS	NEW ENG TO MTN NORTH N MI WI MN, OUT, NY, ID WEST MT, MOUNTAIN OF WASH OREG CALIF	NORTHERN HALF AND TO TWIN CITIES		104
0030	FLAT-SKINTED MISSISSIPPI POCKET Gopher GEOMYS MUSCARIUS	FINE SOILS - CENTRAL GRASSLANDS, PASTURES ALFALFA FIELDS, WOOD- SIDE, RAILROADS	PRAIRIE STATES (ALL IA, NE, KS, OK) PART OF MN, IN, IL, MO, AR, LA, ND SD, WY, CO, NE, TX	ALL BUT NORTHEAST QUARTER		104
0035	PRAIRIE DEER-TOOTHED MOUSE PEROMYSCUS MANICULATUS HARRISII	OPEN TALL & MIDDYASS PRAIRIES, LOW BRUSH CLUMPS, WHEATERS DRY UPLANDS	MOST OF US EXCEPT SC AL FL GA MS LA AND SOUTHERN VA NC TX AR TX	STATE-WIDE		104

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 INFO-INFORMATION SOURCE SYSTEM  
 MON DAIRY CT/20/76 2244195

DEVELOPED BY  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

ID NO	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SHOULDER CODE
0036	MUGULAND (CANADIAN) BROWN MOUSE PEROMYSCUS MANICULATUS GIMCILLIS	DECIDUOUS OR MIXED OPEN PINEEN, SHORE, & SOMEWHAT FORESTS ALSO CONIFERS	MOST OF US EXCEPT SC AL PL GA MS LA AND SOUTHERN VA NC TN AR AND TEXAS	STATE-WIDE		104
0037	WHITE-FOOTED MOUSE PEROMYSCUS LEUCOPUS NOVEMMACENSIS	WOODED OR BRUSHY AREAS PREFERRED SOMETIMES OPEN AREAS	EAST OF ROCKIES & SE AZAS AR (NOT A NO MN MI ME, S AL GA SC NC, NOT IN FLORIDA	ALL BUT NORTHEAST COMMON		104
0038	SOUTHERN HOG LEMMING SYNAPTOMYS CUOPERI	LOW DAMP BOWS AND HEADS WITH HEAVY GROWTH OF VEGETATION	KANSAS TO MINNESOTA AND EASTWARD NORTH ARKANSAS-EAST TENN- WEST N CAROLIN	NORTHEAST QUANTEN		104
0040	HOPEAL WEDRACK VOLE OR MOUSE CLETHRONOMYS GAPPERT	CONIFEROUS, DECIDUOUS OR MIXED FORESTS; IT PREFERS DAMP PLACES UNDERBRUSH	NEW ENG TO TN THRU APPALACHIAN; WEST OVEN N STATES TO E-WARD ROCKY TO N AM	STATE-WIDE EXCEPT SOUTHERN EIGHTH		104
0042	MEADOW (COMMON, PENNSYLVANIA) VOLE MICROTUS PENNSYLVANICUS	LOW, MOIST, HIGH GRASS WITH RANK VEG; STREAM LAKE, SWAMP, FOREST OF LITTLE COVER	AR, CANADA, N THRU US ATLANTIC; GA; MISSISSIPPI IL; ILL; OH; PA; NY; N CAROLIN	STATE-WIDE		104
0043	PRAIRIE VOLE MICROTUS OMRONGASTEN	OPEN PRAIRIES, PENCE HOUS, RAILWAY RIGHTS OF WAY, OLD CEMETERY, FAIRLY DRY	NORTH CENTRAL US (S- LA-OR TO CAN; BETWEEN KY, VA, E OH, S MI, N MS E CO, WY, E MT	COUNTIES ALONG THE MINNESOTA AND MISSISSIPPI RIVERS		104
0044	HOUSE MOUSE MUS MUSCULUS	BUILDINGS, SOMETIMES FIELDS; WHERE PEOPLE CONCENTRATE	CONTINENTAL UNITED STATES	STATE-WIDE		104
0047	SURVAY, HUMAN OR HOUSE RAT RATTUS NOVVEGICUS	WHERE PEOPLE CONCENTRATE; BUILDING NEARBY WILES	CONTINENTAL UNITED STATES	STATE-WIDE (MAJOR URBAN AREAS)		104

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
HID-INFORMATION SUB-SYSTEM  
MON DATE: 07/07/76 22THM153

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## MAMMALS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE 101 5

ID NM	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0048	WOODLAND JUMPING MOUSE NAPOZOMYS TINSIGTIS	FORESTED OR BRUSHY AREAS NEAR WATER WET HOGGS, STREAM BUNDLES	NEW ENGLAND THROUGH APPALACHIAN MOUNTAIN NORTHERN GREAT LAKES STATES	NORTHERN HALF		104
0049	MEADOW JUMPING MOUSE ZAPUS MUSSETTII	PLAINS AND PRAIRIES AROUND BLOUGH SWAMP GRASSY MEADOWS, ALSO WOODS UPLANDS	EAST OF EASTERN MT BY COLORADO, SOUTHERN BOUNDARY IS KS, MONT NORTH AL GA SC	STATE-IDE		104
0051	HEAVEN CASTOR CANADENSIS	STREAMS AND LAKES WITH TREES OR ALONG ON HILLS, ESPECIALLY EARLY STAGES	CONTINENTAL US EXCEPT FLORIDA, EASTERN UTAH SOUTH NEVADA, S CALIF AND S ARIZONA	STATE-IDE		104
0052	MURKAT ONKATWA ZIPHTICA	MARSHES, POND EDGES LAKES, STREAMS, CATTAILS, WUSHES, WATER LILIES	ALL OF US EXCEPT AL S AL GA SC NC; ONLY N.E. TX, N NY, N.E. OR, N.E. SE CA	STATE-IDE		104
0053	PUNCUPINE BRETHIZON DUMSATUM	FORESTED AREAS, SOMETIMES BRUSHY AREAS; SUBCLIMAX AND CLIMAX FORESTS	NEW ENG INTO EAST BY N MI +1 N.W. WEST NO, SOME TX AND WEST RD EXCEPT CA COAST	NORTHERN 1-140		104
0054	EASTERN COTTONTAIL SYLVILAGUS FLORIDANUS	GRASSLANDS STRIPS OF FOREST WITH WATER & DENSE BRUSHY CLIVEN & SWAMP EDGES	PRAIRIE STATES AND EAST AND EXCEPT N NY NM VT ME PLUS SOUTH HALF NM AND AZ	ALL BUT NORTHEAST QUANTEN		104
0055	SHO-SHORE (VARYING) NAME LUPUS AMERICANUS	SWAMP, THICKET, SHROB STAGE AND PIONEER FOREST, MOUNTAINS IN THE WEST	NEW ENG APPALACHIA TO GAIN GNT LKS AND ROCKY MTS TO NM +1 PA, OH, N TENN	NORTHERN HALF		104
0057	BLACK BEAR URSUS AMERICANUS	CLIMAX FORESTS AND SWAMPS MAINLY MOUNTAINS IN THE WEST	NEW ENG GREAT LAKES APPALACHIA FL, SOUTH GA AL LA OK AR MS LOUISIANA MISS	NORTHWEST AND NORTHEAST TO MONT THIN CITIES, ARIZONA WEST COUNTYS		104

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/24/78 22:19:55

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED



ID NW	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0059	RACCOON PROCYON LOTOR	ALONG STREAMS AND LAKE BORDERS WHERE THERE ARE WOODED AREAS OR CLIFF	ALL OF US EXCEPT PARTS OF MT NY CO NH AZ CA NV UT	STATE-WIDE		104
0060	FISHER MARTES PENNANTI	LARGE, CLIMAX, MIXED, CUTOVER HARDWOOD FORESTS, USUALLY NEAR WATER	N NEW ENGL N MI MN WI ROCKIES (= MONT, EAST ID MO) = WEST COAST (= WASH OR NCA SIERRAS	NORTHERN THIRD ABSENT WEST OF MEO LAKE AREA		110
0061	SHORTTAIL WEASEL MUSTELA ERMINEA	SUBCLIMAX WOODLANDS BUT SOMETIMES IN OPEN, RUSHY AREAS, NEAR WATER	FROM E COAST IS N UP ON (MO) TO N LA, WHERE NO INTO CANADA, ARK. MINN, N OF AZ	STATE-WIDE		110
0062	LEAST WEASEL MUSTELA ERIOSA	MEADOWS, FIELDS, RUSHY AREAS AND OPEN WOODS	N MT + NE + DAKOTAS AND EAST, APPALACHIA TO GA (= ARK NY NJ DE AND NEW ENGLAND)	STATE-WIDE		104
0063	LONGTAIL WEASEL MUSTELA ERMINATA	ALL LAND HABITATS NEAR WATER, SHRUB STAGES AND PIONEER FORESTS	CONTINENTAL US EXCEPT PART OF MN, NM AZ, NV, CA	ALL BUT NORTHEAST CORNER		104
0064	PINK MUSTELA VISON	ALONG STREAMS, SLOUGH LAKES ESPECIALLY WOODED + RY MARSHES AND SWAMPS	CONTINENTAL US + AK EXCEPT ALL OF AZ AND SOUTHERN HALF OF CA NV UT NM TX	STATE-WIDE		104
0065	RIVER OTTER LUTRA CANADENSIS	ALONG STREAMS AND LAKES, ESPECIALLY FORESTED AND WILD AREAS	CONTINENTAL US + AK EXCEPT SOUTHERN CA NV UT AZ NM AND TX	STATE-WIDE		104
0067	HADGEW TAXIDIA TAXUS	OPEN GRASSLANDS AND DESERTS, ALSO FOREST AREAS WITH AMPL OPENINGS + GRASS	TEXAS INTO MICHIGAN AND WEST + AND EASTERN HOWEVER IS THRU TX OR MO IL IN OHIO	STATE-WIDE		104

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
MID-INFORMATION SUB-SYSTEM  
RUN DATE: 07/04/76 22:44:55

DEVELOPED BY:  
ST. PAUL DISTRICT  
GROUP OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0068	SPOTTED SKUNK (CIVET CAT) SPILOGALE PUTORIUS	BRUSHY OR SPARSLEY WOODED AREAS, ALONG STREAMS, HOLLOWAYS, PRAIRIES	MOST OF US EXCEPT MT NEW ENG IL IN MI OH; ONLY PART OF IA AND WI VA NC SC	ALL BUT NORTHEAST AND NORTHWEST CORNER		104
0069	STRIPED SKUNK MEPHITIS MEPHITIS	SEMI-OPEN COUNTRY; MIXED WOODS; OPEN PRAIRIE AND BRUSH LAND; MARSHES	CONTINENTAL UNITED STATES	STATE-WIDE		104
0070	COYOTE (WOLF) CANIS LATHRANS	PRAIRIES, OPEN WOOD LANDS (ASPEN), CONIFERS BRUSHY OR BOLDEN WETLAND AREAS	MOST OF US, ABSENT EAST OF WESTERN LA AR KY OH PA MA AND ALLOA RI NH ME	STATE-WIDE		104
0071	TIMBER OR GRAY WOLF CANIS LUPUS LYCAON	WILDERNESS FORESTS AND TUNDRA	N MINN AND MICHIGAN; SMALL AREAS OF N MT, N ID, CENT OR, NY, NY, SE UT, S- CO, AZ	NORTHERN FIFTH		104
0072	RED FOX VULPES FULVA	MIXTURE OF FORESTS (SHRUB STAGES AND PIONEER AND OPEN COUNTRY, MARSH	CONTINENTAL US AND EXCEPT PARTS OF WASH OR CA NV AZ NM MT WY NE KS OK TX FL	STATE-WIDE		104
0073	GRAY FOX UMPECIA CINEREAUGENTUS	SHRUB, PIONEER, AND CLIMATE OPEN FORESTS; CHAPARRAL, HEDROCK COUNTRY	ALL STATES BUT WA ID MT WY AND PARTS OF OR NV UT CO ND SD NE KS OR MAINE	SOUTHERN HALF + NORTHWEST QUARTER		104
0074	COUGAR, PANTHER, PUMA, MOUNTAIN LION FELIS CONCHLON COUNCHLON	WILDED MOUNTAINS SWAMPS, FORESTS, ONCE FOUND IN MOST OF US	FROM WEST COAST INTO HOCKY MOUNTAINS, A SOUTH TX LA AR MS AL N MN ANY MTS	OCCASIONALLY HABITATS INTO NORTH CENTRAL THIRD OF MN		112
0075	LYNX LYNX CANADENSIS	BORAL FORESTS WITH SWAMPS	NORTH NEW ENGLAND, N HIGH MINN AND WISC CENTRAL MICHIGAN, NORTH WEST MOUNTAINS, AND	NORTHERN THIRD EXCEPT WESTERN COUNTIES		110

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
HIGH INFORMATION SUBSYSTEM  
REV DATE: 07/28/78 2214414

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

ID NM	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0076	BURCAT (BAY LYNX) LYNX RUFUS	SUCCLINAX FORESTS & BRUSH, PREFERRED BRUSH WITH CONIFER SWAMPS; WEST CHAPARRAL	MOST OF US EXCEPT ON ONLY PART OF SU NE KS MN IA MO AR MI IL IN PA TN SOUTH	NORTHERN HALF		104
007A	MULE OR BLACKTAIL DEER ODCOILEUS HEMICIONUS	CONIFER FORESTS, DESERT SHrub AREAS, CHAPARRAL, GRASSLAND WITH SHRUBS	PRAIRIE STATES AND WESTWARD WEST MINN AND IOWA'S SOUTHERN WESTERN FOURTH	WESTERN HALF ESPECIALLY THE NORTH WEST, MAY BE IN SOUTH EAST CORNER		111
007B	VIRGINIA OR WHITETAIL DEER ODCOILEUS VIRGINIANUS	SWAMP, OPEN BRUSH, AND NEAR SHRUB, PIONEER, AND CLIMAX FOREST STAGES	MOST OF US EXCEPT S- NOT IN AREA OF MIST OF CA NV UT, PART OF OH IO CO NM AZ	STATE-IDE		104
0080	Moose ALCES ALCES	FORESTED REGIONS WITH MANY LAKES AND SWAMPS, TUNDRA-WINTER CONIFER-SUMMER	NORTH ME MI WI MN, NO CO, NE UT, E+4 IDAHO, WEST WYOMING AND MONTANA ALASKA	NORTHERN THIRD IN WEST TO NORTH HALF IN EAST, MAY BE IN SOUTH EAST CORNER		115

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/76 22:49:53

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

SOURCE  
CODE

REFERENCE

- 104 BEER, J. R. AND GUNDERSON, M. L. 1953. MAMMALS OF MINNESOTA. UNIVERSITY OF MINNESOTA PRESS, MINNEAPOLIS, 190P.
- 110 U. S. FOREST EXPERIMENT STATION, ST. PAUL, PERSONAL COMMUNICATIONS (1974) BY DAVID MECH (ALSO ROBERT BRANDER 1974 OF NORTHLAND COLLEGE, ASHLAND, WISCONSIN MECH, 1973, -OLF NUMBERS IN SUPERIOR NATIONAL FOREST OF MN. -MECH, 1970 THE WOLF, AMERICAN MUSEUM OF NATURAL HISTORY PRESS, GARDEN CITY, N. Y. 384P
- 111 ROBERT HERRST, 1974, COMMISSIONER OF MINNESOTA DEPARTMENT OF NATURAL RESOURCES, COMMENTS ON THE DRAFT ENVIRONMENTAL IMPACT STATEMENT ON THE NINE FOOT CHANNEL.
- 112 BURNY, ELMER, 1974, (PERSONAL COMMUNICATION) MUSEUM OF NATURAL HISTORY, UNIVERSITY OF MINNESOTA, MINNEAPOLIS.
- 115 KANNDOSKI, PAUL, 1974, INSTITUTE OF ECOLOGICAL STUDIES UNIVERSITY OF NORTH DAKOTA, GRAND FORKS, ENVIRONMENTAL IMPACT ASSESSMENT ON FLOOD CONTROL FOR ROSSAU RIVER, MINNESOTA, 250P.

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 2216R143

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

REPTILES OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 9

TO NO	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE LOVE
0082	COMMON SNAPPING TURTLE CHELYDRA SERPENTINA	ANY PERMANENT BODY OF FRESH WATER	EASTERN US EXCEPT SOUTH HALF OF FLORIDA EASTWARD FROM EAST MT BY CO NM	STATE=10E		201
0084	WESTERN PAINTED TURTLE CHRYSEMYS PICTA HELLI	POND, MARSH, DITCHES, EDGES OF LAKES, BACKWATERS OF STREAM SLOUGHS (SEE 87)	BETWEEN MISSISSIPPI RVR AND ROCKY MTS + WEST MI MI IL + NORTH ID + EAST WA	STATE=10E		201
0089	BLANDINGS TURTLE EMYDOIDEA BLANDINGI	MOSTLY AQUATIC SELOOM PAN FROM BOGS MARSHES, LAKES, SMALL STREAMS	GREAT LAKES AREA AND WEST INTO EAST MINN, IOWA AND NORTHEASTERN NEBRASKA	EASTERN HALF BUT NOT NORTH OF WISCONSIN MORE WESTWARD ALONG IOWA BORDER		201
0095	N PRAIRIE, BLACK HANDED SNAKE FUNECES SEPTENTRIONALIS SEPTENTRIONALIS	SOFT SOILS, GRAVEL OPPOSITIS, SANDY AREAS WITH PLANTS BETWEEN PRAIRIE BLOODS	EXTREME SOUTH MINNESOTA INTO WEST WISCONSIN AND EAST KANSAS	ALL BUT NORTHEAST QUARTER, IS ALONG ST. CROIX RIVER AND IN MELNAMI CO		201
0097	NORTHERN RED BELLED SNAKE STORERIA OCCIDENTALIS OCCIDENTALIS	OPEN WOODS, ALSO NEAR SPHAGNUM BOGS, UPLAND PARTS OF THE NORTHEAST	EAST FROM MN TO LA + E AND KS OR, EXCEPT S- 14, N MO, E IN, N OH S GA AND FLOR	ALL BUT SOUTHWEST CORNER		201
0100	WESTERN PLAINS GARTER SNAKE REGINA SERPENTINATA	CAN WITHSTAND HEAT AND LACK OF WATER, CAN BE AWAY FROM WET LANDS 6-101	MINNESOTA TO MISSOURI AND WEST TO MONTANA	ALL BUT NORTHEAST QUARTER AND SOUTHWEST CORNER		201
0102	EASTERN GARTER SNAKE THAMNOPHIS SIRTALIS SIRTALIS	MEADOWS, MARSHES, WOOD LANDS, HILLSIDES, BY STREAMS, UPLANDS DITCHES	SOUTHWEST CANADA TO GULF OF MEXICO AND WEST TO LINE FROM E MN TO E TX	EASTERN HALF MOSTLY EAST OF THE MISSISSIPPI RIVER		201
0107	EASTERN HOODED SNAKE HETERODON PLATYRINUS	SANDY AREAS, NEAR AMPHIBIAN HABITAT	NM TO SOUTH FL, WEST INTO EAST NE AND TX + MI + IN + EAST MN	EASTERN HALF EXCEPT NORTHEAST CORNER, MOSTLY EAST OF MISSISSIPPI R		201

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
R10-INFORMATION SUB-SYSTEM  
RUN DATE: 07/04/77 22:10:15

DEVELOPED BY:  
ST. PAUL DISTRICT  
BUREAU OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

HERPILES OF THE MISSISSIPPI-IVERN MEADOWS REGION

PAGE NO: 10

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0111	EASTERN SMOOTH GREEN SNAKE OPHEODRYS VERNALIS VERNALIS	GLADES AND GRASSY UP ROCKY MEADOWS	NEW ENGLAND INTO WY NE OHIO & MICHIGAN SOUTHERN HALF OF MI CENTRAL MN	FROM THE NW THRU THE MISSISSIPPI RVR MEADOWS REGION TO ST CROIX R		201

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAB)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22144193

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

BIBLIOGRAPHY FOR  
REPTILES OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 1

SOURCE  
CODE

REFERENCE

201 CONANT, R., 1958, FIELD GUIDE TO REPTILES AND AMPHIBIANS, HOUGHTON, MIFFLIN CO.,  
BOSTON, 365P.

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUBSYSTEM  
RUN DATE: 07/08/76 2214R153

DEVELOPED BY:  
ST. PAUL DISTRICT  
CONSULTING ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

AMPHIBIANS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 11

TO NW	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0119	MUDPOPPY AECTURUS MACULOSUS	LAKE, POND, RIVERS AND OTHER REMNANT BODIES OF WATER	• NY - ENG TO MANTOHA AND SOUTH TO ORANGE AREAS OF TENNESSEE • MISSOURI RVR	STATE-WIDE EXCEPT SOUTHWEST CORNER		301
0120	CENTRAL NEWT DIEMICTYLUS VIRIDESCENS LOUISIANENSIS	SHALLOWS, SWAMPS, CREEKS WOODLAND PONDS, RIVER BOTTOMS	BETWEEN EAST MN TO EAST TX AND WEST MI TO LA. SOUTH AL GA SC NORTH FLORIDA	MISSISSIPPI RIVER VALLEY TO ITS HEADWATERS PLUS THE NORTH-EAST		301
0121	BLUE SPOTTED SALAMANDER AMBYSTOMA LATERALE	SHALLOW WOODLAND OR PASTURE PONDS	EAST MN MI IN AND EASTWARD, NO MORE SOUTH THAN NORTH KY AND VA	NORTHEASTERN HALF		301
0122	JEFFERSON SALAMANDER AMBYSTOMA JEFFERSONIANUM	ONLY IN HEAVY UNDISTURBED HARDWOOD OR CONIFEROUS WOODS, ROTTED LOGS	EAST MN MI IN AND EASTWARD, IS NOT HOME SOUTH THAN NORTH KY AND VIRGINIA	NORTHEASTERN HALF		301
0124	TIGER SALAMANDER AMBYSTOMA TIGRINUM	HIDE IN MOIST, COVERED PROTECTED, UNDISTURBED SITUATIONS	MOST OF US EXCEPT S. FLORIDA, ALABAMA, ARIZONA, ENGLAND, MI, IL, IN, MS, NY, CA, OR, WA	ALL BUT NORTHEAST QUARTER		301
0129	AMERICAN TOAD BUFO AMERICANUS	CITY BACKYARDS TO MTN WILDERNESS IF NEAR SHALLOW WATER FOR BREEDING	MN IA MO IL KY TN NORTH MS AND EAST-RO EXCEPT SOUTH AL GA AND CAROLINAS	STATE-WIDE EXCEPT SOUTHWESTERN CORNER		301
0132	SPRING PEEPER HYALASCA CHLORIS	BRUSHY SECOND GROWTH WOODLOTS NEAR SMALL POND OR SWAMP, EVEN TEMPORARY	EASTWARD FROM EAST MN IA MS OK, TEXAS, ABSENT SOUTH GEORGIA AND FLORIDA	EASTERN HALF		301
0133	EASTERN GRAY TREEFROG HYALASCA VERMICOLOR VERMICOLOR	SMALL TREES OR SHRUB NEAR OR STANDING IN SHALLOW BODIES OF WATER	EASTWARD FROM MN, IA, SP. NEAR OK, LA EXCEPT NORTHERN AR, VT, PAINE SOUTH FLORIDA	MOST OF STATE EXCEPT ALONG SOUTH DARKIE AND LAKE OF THE WOODS		301

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUBSYSTEM  
MIN. DATED 07/04/78 22104153

DEVELOPED BY:  
ST. PAUL DISTRICT  
GROUP OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED



AMPHIBIANS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 12

NO	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0135	RURAL CHORUS FROG PSEUDACRIS TRISERIATA MACULATA	WETLAND ENVIRONMENTS OF PONDS, LAKES, AND MEADOWS	EAST VT TO AND NTH MOST OF NY CO NE SD ND MN-NORTHERN WISC AND MICHIGAN	STATEWIDE EXCEPT SOUTHEASTERN CORNER		301
0136	WESTERN CHORUS FROG PSEUDACRIS TRISERIATA TRISERIATA	PRAIRIES, POND AND URBAN AREAS, NEEDS SHALLOW WATER MAINLY FOR BREEDING	SD NE KS OK MO IA MN WI IL IN MI OH AND EASTERN PA AND NY	SOUTHERN HALF		301
0137	WINK FROG RANA SEPTENTRIONALIS	BODGS	NORTHERN MN WI MI NY VT NH AND MAINE	NORTHERN HALF EXCEPT WESTERN COUNTIES		301
0138	NORTHERN LEOPARD FROG RANA PIPIENS PIPIENS	MEADOWS, PONDS	NORTH US EXCEPT WEST UNSHARDED NY UT CO NM AZ KY TN VA NC & NORTH AL TO SC	STATEWIDE		301
0140	GREEN FROG RANA CLAMITANS ORLANDYA	SPRING, RILL, CREEK, DITCH, EDGE OF LAKE, PONDS, SHALLOW, FRESH WATER	EASTERN US EXCEPT THE SOUTHERN STATES	EASTERN HALF		301
0141	WOOD FROG RANA SYLVATICA	MOIST WOODED AREAS	EASTERN US TO SOUTH APPALACHIA, WESTWARD TO EASTERN IL & MN & ND AR KS CO NY	NORTHEASTERN HALF		301

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
MINN DATED 07/04/74 221001015

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

BIBLIOGRAPHY FOR  
AMPHIBIANS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 1

.....  
SOURCE  
CODE

.....  
REFERENCE  
.....

301 CONANT, R. 1958. FIELD GUIDE TO REPTILES AND AMPHIBIANS, HOUGHTON, MIFFLIN CO.,  
BOSTON, 1958.

.....  
ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 2214R193

.....  
DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

ID NM	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0143	BOWFIN (FRESHWATER DOGFISH) A. A. CALVA	SLUGGISH RIVERS AND SHALLOW LAKES, SPAWN IN SMALL STREAMS AND MARGINS.	EASTERN THIRD OF U.S., MINNESOTA TO VERMONT, TEXAS TO FLORIDA.	SOUTHERN HALF OF STATE		402
0144	KUMANE SALMON ONCORHYNCHUS NERA KENNERLYI	LIVE IN LANULOCKED LAKES AND ENTER TRIBUTARIES TO SPAWN	OREGON TO ALASKA ON WEST COAST INTRODUCED ELSEWHERE	INTRODUCED IN COOK AND ITASCA COUNTIES IN NORTHERN PART OF STATE.		402
0144	CHINOOK SALMON (KING, PACIFIC) ONCORHYNCHUS Tshawytscha	ANADROMOUS-GROW IN SEA OR LAKE AND SWIM UP STREAMS ON RIVERS TO SPAWN.	PACIFIC COAST, CALIFORNIA TO ALASKA -INTRODUCED INTO THE GREAT LAKES.	NORTHEASTERN PART OF STATE AROUND LAKE SUPERIOR.		402
0150	LAKE TROUT SALVELINUS NAMAYCUSH NAMAYCUSH	COLD, DEEP LAKES WITH HIGH OXYGEN CONTENT, SPAWN ON ROCKY SHOALS.	GREAT LAKES REGION, NORTHERN NEW ENGLAND STATES, INTRODUCED WIDELY IN WEST	LAKE SUPERIOR AND IN NORTH EAST QUARTER OF STATE.		402
0153	EASTERN BROOK TROUT SALVELINUS FUNDINALIS	COLD, CLEAR STREAMS AND LAKES.	MINNESOTA E TO NEW ENGLAND AND S TO GEORGIA, INTRODUCED WIDELY IN WEST	NORTHERN HALF AND SOUTHEASTERN QUARTER OF STATE, INTRODUCED ELSEWHERE.		417
0154	RAINBOW TROUT SALMO Gairdneri	CLEAR, COLD STREAMS AND LAKES	W. OF ROCKIES, CA TO AK, INTRODUCED IN WEST AND IN GREAT LAKES REGION.	NORTHERN TWO- THIRDS AND SOUTHEASTERN QUARTER OF STATE.		417
0155	BROWN TROUT SALMO Trutta	COLD STREAMS AND LAKES	WIDELY INTRODUCED THROUGHOUT THE U.S.	STATEWIDE EXCEPT ALONG WESTERN BORDER		417
0156	GULDFEY -IPUON AUSSEIDERS	QUIET AREAS OF LARGE STREAMS AND THEIR CONNECTED LAKES ON HACKWATERS.	MONTANA EASTWARD TO WISCONSIN, SOUTH TO OKLAHOMA AND TENNESSEE.	STATEWIDE-LOCALLY SCATTERED.		402

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/07/84 22:04:13

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILLED

## FISHES OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 14

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0157	MUDNEVE MUDPOON TERGUISUS	QUIET WATERS OF LAKES AND RIVERS, SPAWN IN SHALLOW STREAMS.	NORTH DAKOTA EAST TO NEW YORK, SOUTH TO ARKANSAS AND ALABAMA	STATE-WIDE-LOCALLY SCATTERED IN MAJOR RIVER DRAINAGES.		402
0158	NORTHERN PIKE ESOX LUCIUS	COOL TO WARM PONDS, LAKES AND SLAGGISH RIVERS, GENERALLY IN NEEDY WATERS.	MONTANA EASTWARD TO NEW ENGLAND AND SOUTH TO THE OHIO RIVER.	STATE-WIDE-IN NEARLY ALL LAKES AND STREAMS.		402
0159	MUSKELLUNGE ESOX MUSKUNONGY	LAKES AND QUIET RANTS OF RIVERS, PREFERS COOL, CLEAR, NEEDY WATERS.	GREAT LAKES AND ST. LAURENCE DRAINAGES, S IN OHIO RIVER VALLEY TO AL.	MS AND RAINY RIVER DRAINAGES, NORTHERN LAKES, STOCKED ELSEWHERE.		402
0166	NORTHERN NECHONSE MUSKOSTOMA MARGOLEPIODOTUM	MUDDY AND CLEAR RIVERS AND STREAMS, NORTHWARD IN LAKES ALSO.	MONTANA TO NEW YORK, SOUTH THROUGH OHIO RIVER DRAINAGE, WEST TO KANSAS.	STATE-WIDE.		425
0171	NORTHERN BROOK SILVERSIDE LARGESTHES SICCOLUS SICCOLUS	LAKES AND STREAMS, PREFERS CLEAR WATERS	MINNESOTA EAST TO NEW YORK AND SOUTH TO GULF STATES, TEXAS AND OK.	SOUTHERN TWO- THIRDS OF STATE.		402
0176	CHANNEL CATFISH ICTALURUS PUNCTATUS	LARGE, SWIFT-WATER RIVERS AND LOWLAND LAKES, PREFERS CLEAR WATER.	MONTANA TO OH VALLEY SOUTH THROUGH MS VALLEY TO GULF OF MEXICO AND FLORIDA.	SOUTHERN HALF AND WESTERN HALF OF STATE, SCATTERED ELSEWHERE.		402
0179	STONECAT NOTURUS FLAVUS	CREEKS, STREAMS, AND RIVERS IN SWIFT WATERS. IN CREVICES, UNDER LOGS.	MONTANA THROUGH THE GREAT LAKES REGION AND SOUTH TO ALABAMA AND OKLAHOMA.	SOUTHERN TWO- THIRDS OF STATE AND PRIMARILY ELSEWHERE IN NORTH.		402
0180	MUD-POON HULL-HEAD ICTALURUS NEBULOSUS	LAKES, SLAGGISH RIVERS, STAGNANT POOLS AND SLAGGHS.	NORTH DAKOTA TO NEW ENGLAND- SOUTH TO OHIO VALLEY AND VIRGINIA.	STATE-WIDE.		402

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/04/76 22:14:55

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

## FISHES OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 15

IC NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0193	WESTERN BANDED KILLFISH- FUNOULUS DIARMANDUS MENUNA	SHALLOW LAKES, MUDRY BROOKS AND PONDS- WHERE THERE IS VEGETATION.	EASTERN DAKOTAS EAST TO NEW YORK- SOUTH TO IOWA, ILLINOIS, INDIANA AND OH	STATE-WIDE EXCEPT NORTHEAST CORNER, COMMON IN S AND C LAKES.		402
0194	SCALEY JUMMY DARTER ETHEOSTOMA NIGRUM EULEPIS	LAKES AND STREAMS IN QUIET WATERS,	EASTERN DAKOTAS EAST TO LAKE ERIE,	STATE-WIDE IN ALL DRAINAGES.		402
0199	LEAST DARTER ETHEOSTOMA MINORPENSIA	SHALLOW WATERS OF LAKES AND SMALL STREAMS,	MINNESOTA EAST TO NEW YORK- SOUTH TO KENTUCKY, ARKANSAS AND OKLAHOMA.	CENTRAL ONE-HALF OF STATE, SCATTERED LOCALLY ELSEWHERE.		402
0201	GREAT LAKES WHITEFISH COREGONUS CLUPEIFORMIS CLUPPEIFORMIS	LARGE LAKES AND TRIBUTARY STREAMS AT SHALLOW TO MODERATE DEPTHS.	MINNESOTA THROUGH THE GREAT LAKES BASIN TO NEW ENGLAND	NORTHERN ONE-HALF OF STATE, AND LAKE SUPERIOR.		402
0208	CARP CYPRINUS CARPIO	PREFER SLOWISH, WARM WATERS OF LAKES RIVERS AND LARGE STREAMS,	INTRODUCED INTO NEARLY ALL STREAM SYSTEMS IN U.S.	STATE-WIDE EXCEPT IN LAKE OF THE WOODS DRAINAGE.		402
0211	GREAT LAKES LONGNOSE DACE EMINICHTHYS CATARACTAE CATARACTAE	SHORES OF LAKES INCLUDING GREAT LAKES AND IN SHIFT STREAMS,	NORTHERN ONE-FOURTH OF U.S.- SCATTERED LOCALLY ELSEWHERE.	STATE-WIDE, EXCEPT SOUTHWESTERN CORNER.		402
0212	HAASBY MINNOW HYROGNATHUS HARKINSONI	CREEKS AND LAKES- OFTEN IN BOG WATERS,	MONTANA EAST TO LAKE CHAMPLAIN AND S TO NEBRASKA, MISSOURI AND COLORADO.	STATE-WIDE IN ALL DRAINAGES.		402
0213	CENTRAL STONEWOLLEN CAMPOSTOMA ANNIALLI PULLUM	SMALL RIVERS, CREEKS AND GRAVELLY BROOKS. PREFER CLEAN WATER.	EASTERN DAKOTAS EAST TO NEW YORK AND SOUTH TO ALABAMA AND TEXAS.	SOUTH OF A LINE FROM DULUTH TO THE NORTHWEST CORNER OF THE STATE.		402

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 MID-INFORMATION SIGN SYSTEM  
 RUN DATE: 07/08/76 22:44:55

DEVELOPED BY  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

## FISHES OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 10

NO.	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
021A	NORTHERN PEARL DACE SEMOTILUS MARGARITA MARGARITA	Cool lakes, streams, creeks and bogs.	NORTHERN STATES FROM ROCKY MOUNTAINS TO NEW YORK.	STATE-WIDE EXCEPT SOUTHEAST CORNER.		402
0220	NORTHERN REDBELLY DACE PHOXINUS EUS	Small streams and bog lakes.	CANADA SOUTH TO MONTANA CENTRAL MINNESOTA AND PA ISOLATED IN NE	STATE-WIDE EXCEPT SOUTHEAST CORNER		405
0221	WESTERN GOLDEN SHINER NEMIGONUS CHYSOLEDEAS AURATUS	LAKES AND QUIETER PARTS OF STREAMS, TOLERATES EUTROPHIC CONDITIONS.	NORTH DAKOTA EAST TO LAKE ONTARIO AND SOUTH TO TENNESSEE AND OKLAHOMA.	STATE-WIDE COMMON IN ALL WATERSHEDS.		402
0222	BLUNTNOSTE MINNO- PIPERHALES AURATUS	LAKES AND STREAMS- USUALLY IN CLEAR WATERS.	NORTH DAKOTA EAST TO LAKE CHAMPLAIN, SOUTH TO VIRGINIA, ALABAMA AND GA	STATE-WIDE.		402
0223	NORTHERN FATHEAD MINNO- PIPERHALES(MYXOMYXINUS) PHERETAS PHERETAS	BOGGY OR SILTY LAKES PONDS AND STREAMS.	MONTANA EAST TO MAINE AND SOUTH TO TENNESSEE AND KANSAS	STATE-WIDE IN ALL WATERSHEDS.		402
0225	PUGNOSTE SHINER NEMIGONIS AUGENUS	CLEAR AND WEEDY WATERS OF LAKES AND STREAMS.	EASTERN NORTH DAKOTA EAST TO LAKE ONTARIO SOUTH TO NORTHERN IL AND IN.	SCATTERED LOCALLY STATE-WIDE EXCEPT IN NORTHEAST AND S- CORNERS.		433
0226	RIVER SHINER NEMIGONIS BLENNIUS	DEEP, FLOW WATERS OF RIVERS, MAINLY IN LAKES.	MONTANA AND MONTANA EAST TO PENNSYLVANIA AND SOUTH TO TEXAS AND TENNESSEE.	MAINE, MD, PA, AND LOWER ST. LOUIS AND MS RIVERS, ELSEWHERE.		402
0228	BLACKCHIN SHINER NEMIGONIS METERGON	CLEAR AND WEEDY LAKES, RIVERS, DOES NOT TOLERATE TURBIDITY.	NORTH DAKOTA EAST TO MAINE AND SOUTH TO IOWA AND NEW YORK.	STATE-WIDE, COMMON IN NORTHERN HALF, RARE IN SOUTHERN HALF.		402

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUBSYSTEM  
RUN DATE: 07/28/76 2214195

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

PRECEDING PAGE BLANK-NOT FILMED

TO NM	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0229	NORTHERN SPOTTAIL SHINER NOTEMPIS HUDSONIUS HUDSONIUS	LARGE LAKES AND RIVERS INCLUDING LAKE SUPERIOR, ALSO IN STREAMS.	NORTH DAKOTA EAST TO NEW YORK, AND SOUTH TO IOWA, ILLINOIS AND GEORGIA.	STATEWIDE, IN ALL DRAINAGES, LAKE SUPERIOR.		402
0230	NORTHERN COMMON SHINER NOTEMPIS CURNUTIUS FRONTALIS	LAKES, STREAMS CREEKS AND RIVERS, PREFERS COOL WATERS.	MONTANA EAST TO MAINE AND SOUTH TO COLORADO AND OHIO.	STATEWIDE, IN ALL DRAINAGES.		405
0233	CENTRAL RICHMOUTH SHINER NOTEMPIS DUPESALIS DUPESALIS	SMALL STREAMS WITH SAND OR SILT BOTTOMS	NORTH DAKOTA EAST TO NEW YORK AND SOUTH TO IOWA, ILLINOIS AND OHIO.	STATEWIDE EXCEPT NORTHEASTERN CORNER.		402
0235	CHESTNUT LAMPREY ICHTHYOMYZON CARTAGENS	RIVERS AND STREAMS	GREAT LAKES NORTH WISCONSIN TO LOUISIANA	MISSISSIPPI AND ST CROIX RIVERS AND MUD RIVER		402
0236	AMERICAN BROOK LAMPREY LAMPETRA LAMPETRA	SMALL CLEAR STREAMS	GREAT LAKES TO TENNESSEE AND MISSOURI	ST CROIX MINNESOTA AND MISSISSIPPI RIVERS AND THEIR TRIBUTARIES		402
0237	SILVER LAMPREY ICHTHYOMYZON UNICURPTUS	RIVERS STREAMS AND THE GREAT LAKES	UPPER MISSISSIPPI, HUDSON BAY AND GREAT LAKES DRAINAGES	STATEWIDE EXCEPT NORTHERN ST CROIX RIVER		402
0238	RUPPHY LUTA LUTA	LARGE LAKES AND STREAMS SPAWNS IN SHALLOW WATER	NEW ENGLAND AND PENNSYLVANIA TO COLUMBIA RIVER NORTH TO ARCTIC	NORTHERN HALF OF STATE AND LAKE PLUM AND WHITE-WATER RIVER		402
0240	TROUTPERCH PERCOPUS OMISCOPALUS	DEEP CLEAR LAKES AND RIVERS SPAWN ON GRAVEL BOTTOMS	GREAT LAKES REGION AND UPPER MS RIVER DRAINAGE NORTH INTO YUKON	ST CROIX, MAINE AND MISSISSIPPI RIVERS AND DEEP LAKES STATEWIDE		402

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUBSYSTEM  
RUN DATE: 07/08/78 22:04:13

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## FISHES OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAUL HUI 18

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0241	WHITE (COMMON) SUCKER CATOSTOMUS COMPERSONI	ALMOST ALL PERMANENT BODIES OF FRESHWATER FROM SMALL STREAMS TO LARGE LAKES	E OF ROCHESTER FROM NW CANADA EAST AND TO COLUMBIA MISSOURI AND GEORGIA	STATE-WIDE		425
0244	GOLDEN REEDERSE Moxostoma Ergasterium	CLEAR STREAMS LAKES AND RIVERS	MINNESOTA AND SOUTH ONTARIO SOUTH TO OKLAHOMA AND GEORGIA	NORTH CENTRAL TO WEST CENTRAL PART OF STATE TO SOUTHEAST CORNER		425
0245	SILVER REEDERSE Moxostoma Antisomum	LAKES AND LARGE RIVERS	SASKATCHEWAN TO ST LAURENCE SOUTH TO MISSOURI AND ALABAMA	NORTHWEST CORNER THROUGH CENTRAL MN TO SOUTHEAST CORNER		425
0247	GULLHEAD CARPSUCKER CARPIONUS CYPRINUS	RIVERS AND LAKES	GREAT LAKES SOUTH TO KANSAS AND W FLORIDA AND ATLANTIC DRAINAGE	SOUTHERN HALF OF STATE AND MAJORITY RIVER ALONG NORTH BOUNDARY		425
0252	TADPOLE NASTON NOTURUS GYRIJUS	QUIET WATER SILT BOTTOM OR ORBIS OF LAKE MARGIN	NORTH DAKOTA SOUTH TO FLORIDA AND EAST TEXAS INTRODUCED IN COLUMBIA RIVER	STATE-WIDE		402
0253	BLACK HULLHEAD ICTALURUS MELAS	SHALLOW LAKES AND MUDDY STREAMS	NORTH DAKOTA TO NORTH NEW YORK SOUTH TO KENTUCKY AND IOWA	STATE-WIDE		402
0259	MOTTLED SCULPIN COTTUS BATHY	STREAMS WITH RIPPLES AND GRAVEL BOTTOMS LARGE LAKES WITH MUCKY SHORES	EAST OF ROCKIES IN COLORADO THROUGH GREAT LAKES SOUTH TO W VIRGINIA	STATE-WIDE		402
0265	JUNA DARTER STENOSTOMA FATILE	FLOOD PLAIN LAKES STREAMS AND SLOUGHS	SASKATCHEWAN TO QUEBEC SOUTH TO IOWA COLORADO INDIANA AND OHIO	STATE-WIDE		405

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 MICROCOMPUTATION PROGRAM SYSTEM  
 MINN DATAS SYSTEMS PRINTING

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101



## FISHES OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE 401 14

ID NM	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0268	JUNNY DARTER ETHEOSTOMA NIGRUM	QUIET LAKES AND STREAMS WITH SANDY BOTTOMS	GREAT LAKES UPPER MISSISSIPPI DRAINAGE TO ATLANTIC SOUTH TO FLORIDA	STATE-WIDE		405
0270	BLACKSIDE DARTER PERCINA MACULATA	NEAR CURRENTS UP STREAMS	NORTH DAKOTA TO NEW YORK SOUTH TO OKLAHOMA AND ALABAMA	SOUTHERN HALF OF STATE AND NORTHWEST ALONG RED RIVER		405
0271	LUGPERCH PERCINA CAPROBES	STREAMS RIVERS AND LAKES	CANADA SOUTH TO TEXAS MISSISSIPPI AND WEST FLORIDA	STATE-WIDE		405
0273	WALLEYE STIZOSTEDION VITREUM VITREUM	CLEAN COLD LAKES AND RIVERS MIGRATE UP SMALL TRIBUTARIES TO SPAWN	CANADA SOUTH ALONG ATLANTIC COAST TO NC WEST TO AR NORTH ALONG MO RIVER	STATE-WIDE		402
0274	YELLOW PERCH PERCA FLAVESCENS	LAKES RIVERS AND STREAMS	CANADA SOUTH TO OHIO SOUTH CAROLINA AND NORTH KANSAS	STATE-WIDE		402
0275	ROCK BASS AMMOCETES RUPESTRIS	LAKES AND STREAMS ALONG REEDY MARGINS	VERMONT TO CANADA SOUTH TO GULF OF MEXICO	STATE-WIDE		402
0276	SMALLMOUTH BASS MICROTREMUS DOLOMIEUI	CLEAR SHIFT STREAMS AND MEDIUM SIZED GRAVEL BOTTOM LAKES	LAKE OF THE WOODS	STATE-WIDE		402
0277	LARGEMOUTH BASS MICROTREMUS SALICOIDES	CLEAN TO MUDDY LAKES AND STREAMS SLOUGHS AND BACKWATERS	EAST OF ROCKIES FROM CANADA SOUTH TO FLORIDA AND MEXICO	STATE-WIDE		402

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUBSYSTEM  
RUN DATE: 07/08/76 22:00:15

DEVELOPED BY:  
ST. PAUL DISTRICT  
LOUIS OF ENGINEERS  
ST. PAUL, MINN 55101

## FISHES OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 20

ID NM	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
027A	GREEN SUNFISH LEPOMIS CYANELLUS	SMALL SHALLOW LAKES AND CREEKS	SOUTH DAKOTA AND COLUMBIA EAST TO NEW YORK AND SOUTH TO GULF OF MEXICO	LOCALLY SCATTERED STATE-WIDE		402
0281	BLUEGILL LEPOMIS MACROCHIRUS	CLEAR WATER LAKES AND STREAMS	MINNESOTA EAST TO LAKE CHAMPLAIN SOUTH TO FLORIDA SOUTH TO TEXAS	STATE-WIDE EXCEPT NORTHEAST CORNER		402
0282	PUMPKINSEED LEPOMIS GIBBOSUS	CLEAR LAKES AND LARGE STREAMS	DAKOTAS TO EAST CANADA SOUTH TO CAROLINA AND IOWA	STATE-WIDE EXCEPT NORTHEAST CORNER		402
0284	WHITE CRAPPIE POMOXIS ANNULARIS	LAKES, STREAMS, BACKWATERS	MINNESOTA AND GREAT LAKES SOUTH TO TEXAS AND WEST FLORIDA	CENTRAL AND SOUTH PART OF STATE AND NORTHWEST ALONG MEO RIVER		402
0285	BLACK CRAPPIE POMOXIS NIGROMACULATUS	LARGE STREAMS MEDIUM SIZED LAKES SELDOM IN LARGE LAKES	SOUTH MANITOWA EAST TO QUEBEC SOUTH TO FLORIDA AND TEXAS	STATE-WIDE EXCEPT NORTHEAST CORNER		402
0286	LAKE STURGEON ALPENSER FULVESCENS	LARGE LAKES AND RIVERS	GREAT LAKES DRAINAGE UPPER MISSISSIPPI RIVER AND HUDSON BAY DRAINAGE	LAKES SUPERIOR AND ST. CROIX AND RED, RAINY, SNAKE AND MS RIVERS		402
0287	SHOVELNose STURGEON SCAPHIRHYNCHUS PLATYRHYNCHUS	LARGE RIVERS	MISSISSIPPI RIVER AND ITS LARGE TRIBUTARIES	MISSISSIPPI, ST. CROIX AND MINNESOTA RIVERS		402
0289	BROWN STICKLEBACK CULLEA INCURVATUS	COOL PONDS POOLS AND SPRING FED BROOKS	KANSAS TO MAINE AND NORTH INTO CANADA	STATE-WIDE		402

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIG-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22:44:55

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## FISHES OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 21

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0290	NINESPINE STICKLEBACK PUNGITIUS PUNGITIUS	COASTAL WATERS STREAMS SHALLOW WATERS OF LAKES	ALASKA TO GREAT LAKES TO ATLANTIC DRAINAGE SOUTH TO NEW JERSEY	NORTHERN ONE THIRD OF STATE		429
0291	CENTRAL MUDMINNOW UMMIA LIMI	SWAMPS PONDS AND SLOUGHS STREAMS	UPPER MISSISSIPPI RIVER VALLEY AND GREAT LAKES REGION	STATEWIDE		402
0297	RAYHEAD MINNOW PIMEPHALES PROPELUS	BOGGY OR SILTY LAKES PONDS AND STREAMS	MAINE WEST TO ROCKY MOUNTAINS NORTH TO CANADA SOUTH TO GULF STATES	STATEWIDE		405
0300	EMERALD SHINER NOTROPIS ATHEIRINOIDES	LAKES AND LARGE RIVERS ENTER MOUTHS OF TRIBUTARY STREAMS IN FALL	CANADA SOUTH TO TEXAS AND VIRGINIA	STATEWIDE		402
0302	SAND SHINER NOTROPIS STRATINENSIS	STREAMS WITH STRONG TO MODERATE CURRENTS AND SANDY GRAVEL BOTTOMS.	NORTH DAKOTA TO ST LAURENCE AND OHIO RIVER DRAINAGE SOUTH TO MEXICO	SOUTHERN TWO THIRDS OF STATE		402
0303	CURRY CENTRAL SHINER NOTROPIS CURRANTUS CHRYSOCEPHALUS	IN NORTH MAIN STREAM AND LAKES IN SOUTH CLEAN COOL CREEKS AND STREAMS	SOUTH GREAT LAKES AND ST LAURENCE SOUTH TO OKLAHOMA ALABAMA AND GA	STATEWIDE		402
0304	SHORTFIN SHINER NOTROPIS BPTILOPTERUS	LARGE RIVERS WITH SANDY SILT BOTTOMS	NORTH DAKOTA AND MISSOURI TO LAKE CHAMPLAIN AND POTOMAC RIVER	SOUTHERN HALF EXTENDING THROUGH CENTRAL PART TO NC BOUNDARY		402
0307	BLACKNOSE SHINER NOTROPIS NEBEMOLEPIS	CLEAN REEDY LAKES AND CLEAR WATER STREAMS	CANADA TO MAINE AND SOUTH TO IOWA AND OHIO RIVER DRAINAGE	STATEWIDE EXCEPT NORTHWEST AND SOUTH WEST CORNERS		405

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIOINFORMATION SUBSYSTEM  
 RUN DATE: 07/08/76 22:04:55

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

## FISHES OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 22

ID NM	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0311	MURRAYHEAD CHUB HYDROPSIS BICUTTATA	SMALL TO MEDIUM SIZED STREAMS	WYOMING AND NORTH DAKOTA TO HUDSON RIVER SOUTH TO NORTH OKLAHOMA	STATEWIDE EXCEPT NORTHEAST CORNER AND NORTHERN BOUNDARY WATERS		405
0315	CHEER CHUB (MORONE DACE) SEMOTILUS ATROMACULATUS	SMALL STREAMS AND RIVERS OCCASIONALLY LARGE LAKES AND RIVERS	MONTANA AND MANITOBA TO EAST CANADA AND SOUTH TO GULF OF MEXICO	STATEWIDE		405
0317	BLACKNOSE DACE RHINICHTHYS ATRYTULUS	SMALL STREAMS SPURNS IN RIPPLES OVER GRAVEL AND RUBBLE	NORTH DAKOTA TO ST. LAWRENCE SOUTH TO NEBRASKA AND NORTH CAROLINA	STATEWIDE		402

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ENIAS)  
 BIO-INFORMATION SUBSYSTEM  
 RUN DATE: 07/08/76 22144153

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

BOOK  
CODE

REFERENCE

- 402 EDDY, S., AND J.C. UNDERMILL, 1974, NORTHERN FISHES, WITH SPECIAL REFERENCE TO THE UPPER MISSISSIPPI VALLEY, SHU ED. UNIV. MINN. PRESS, MINNEAPOLIS, 414 PP.
- 405 UNDERMILL J.C. 1957, THE DISTRIBUTION OF MINNESOTA MINNOWS AND DARTERS IN RELATION TO PLEISTOCENE GLACIATION, UNIVERSITY OF MINNESOTA PRESS, MPLS, 45 PP.
- 417 MINNESOTA DEPT. NATURAL RESOURCES, FISHERIES DIVISION, 1974, PROPOSED TROUT AND SALMON STOCKING PROGRAM, ST. PAUL, N.P.
- 425 PHILLIPS, G.L., AND J.C. UNDERMILL, 1971, DISTRIBUTION AND VARIATION OF THE GATDSTOMIAE OF MINNESOTA, DECA, PAPERS BELL HUS, NATURAL HIST. UNIV. MINN., NO. 10, 45 PP.
- 433 HALEY, R.V. 1950, DISTRIBUTION OF THE AMERICAN CYPRINID FISH, NOTROPIS ANOGENUS, COPEIA NO. 2, 119-123.

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22108153

DEVELOPED BY:  
ST. PAUL DISTRICT  
CHIEF OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE 401 23

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0335	COMMON LOON GAVIA IMMER	BREEDS ALONG LAKES AND RIVERS, WINTERS ALONG COASTS	NORTHERN U.S. WINTERS A LIMIT OPEN WATER TO CALIFORNIA AND GULF COAST	COMMON SUMMER RESIDENT THROUGHOUT STATE LESS FREQUENT IN PRAIRIE		503
0337	MENTORATED LOON GAVIA ARCTICA	VERY RARE MIGRANT IN IOWA, MICHIGAN AND WISCONSIN BUT COMMON IN MINNESOTA	WINTERS GREAT LAKES AREA, AND PAINE TO THE GULF COAST AND S. FLORIDA	REGULAR MIGRANT EAST IN STATE COMMON IN LAKE SUPERIOR		504
0338	RED-NECKED GREBE PUDICEPS GRISEGENA	NESTS IN REEDS AND BUSHES ON EDGES OF DEEP WATER LAKES	IN S. U.S. CA TO LA TO FL, IN N. U.S. WA TO OHIO VALLEY TO NE HAMPSHIRE	REGULAR MIGRANT NESTS IN NO. CENTRAL AND EAST-CENTRAL REGIONS		504
0339	HORNED GREBE PUDICEPS AURITUS	COMMON IN BREEDING WATERS, FLOATING MASS DECAYED VEG. IN REEDS AND BUSHES	N. SOUTH DAKOTA TO NY WINTERS ACROSS S. U.S.	REGULAR MIGRANT AND SUMMER RESIDENT CASUAL WINTER LAKE SUPERIOR		504
0340	BARENE GREBE PUDICEPS CASPICUS	NESTS IN COLONIES IN REED AND BUSHES IN OPEN AREAS IN SHALLOW WATER	BREEDS S. U.S. TO IOWA MINNESOTA TO NE YOWA, WINTERS WA TO S. U.S.	REGULAR MIGRANT AND SUMMER RESIDENT IN WESTERN AND CENT. REGIONS		504
0341	WESTERN GREBE AECHEPHORUS OCCIDENTALIS	NESTS ON LARGE DEEP LAKES FLOATING NEST- ING REEDS AND BUSHES COLONIAL	BREEDS CA TO NE, SO, WY WINTERS CA AND NV	REGULAR MIGRANT AND SUMMER RESIDENT BREEDS N. TO S. IN WEST		504
0342	PIED-BILLED GREBE PUDICEPS PEDICELLATUS	ABUND. BREEDS ALONG SLOUGHS, OPEN AND WETLAND MANGROVE SHORES LAKES AND RIV.	ENTIRE U.S.	REGULAR MIGRANT AND SUMMER RESIDENT NAMELY BREED N. NAME IN WINTER		504
0343	WHITE PELICAN PELICANUS ERYTHRONOTUS	NEST ON ROCKY LAKE SHORES AND ISLANDS OF TEXAS	BREEDS S. CA, N. UTAH, NORTH DAKOTA, COAST OF TEXAS	COMMON MIGRANT WEST-CENTRAL, S., AND SOUTH-CENTRAL, BREEDS N. AND S.		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/76 22105155

DEVELOPED BY  
 ST. PAUL DISTRICT  
 LOUISIANA ENGINEERS  
 ST. PAUL, MINN 55101

## STROS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO1 24

IO NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0345	DOUBLE-CRESTED CORMORANT PHALACROCORAX AURITUS	COLONIAL NEST IN TORS OF TREES WITH GREAT BLUE HERONS	N UTAH TO N MN, TO MAINE TO FL KEYS TO TX TO NM	COMMON MIGRANT AND SUMMER RESIDENT BREEDS NM AND WEST CENTRAL		504
0346	GREAT BLUE HERON ARDEA HERODIAS	COLONIAL TREE TOP NESTED OFTEN ON ISLANDS IN LAKES AND RIVERS	BREEDS ENTIRE US, WINTERS S TWO THIRDS US	COMMON SUMMER RESIDENT ENTIRE STATE, RARE IN WINTER SE		504
0347	LITTLE BLUE HERON FLORIDA CAERULEA	COLONIAL WITH OTHER HERONS, NESTS IN TREE TOPS	BREEDS AND WANDERS N AFTER BREEDING FROM OK TO ND TO EAST COAST	SPRING MIGRANT SUMMER VISITOR BREEDS WEST CENTRAL		504
0350	GREAT EGRET (COMMON EGRET) CASIMIRODUS ALBUS	COLONIAL WITH OTHER HERONS NESTS TREE TOPS	BREEDS OREGON TO TX TO NJ, WANDERS N IN FALL TO N US, WINTERS S US	BREEDS S W-CENTRAL ADVANCING N-WESTWARD COMMON MIGRANT S WARE N		504
0353	BLACK-CROWNED NIGHTHERON NYCTICORAX NYCTICORAX	COLONIAL WITH OTHER HERONS NESTS BELOW TREE TOPS	BREEDS ACROSS N US WINTERS S US	MIGRANT AND BREEDS SOUTH HALF STATE WARE NE AND NW		504
0354	YELLOW-CROWNED NIGHTHERON NYCTANASSA VIOLEACEA	COLONIAL WITH OTHER HERONS BELOW TREE TOPS NOT COMMON	BREEDS EASTERN TWO THIRDS US, WINTERS S US	COMMON MIGRANT NESTS SE CORNER AND EAST CENTRAL		504
0355	LEAST BITTERN IAROBRYCHUS ERILIS	MARSHES, BUDS AND LAKES FRINGED WITH CATTAILS AND/OR BULLRUSHES	E OREGON TO MONTANA TO MAINE SOUTHWARD	THROUGHOUT		504
0356	AMERICAN BITTERN ROYAURUS LENTIGINOSUS	MARSHES BUDS AND LAKES FRINGED WITH CATTAILS AND/OR BULLRUSHES	NATTUNHOLE	STATEWIDE RESIDENT MIGRANT THROUGHOUT EXCEPT IN NORTHEAST		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/76 22:09:53

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 COMPS OF ENGINEERS  
 ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 25

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	BUMBLE CODE
0360	WHISTLING SWAN ANAS COLUMBIANUS	OCCURS IN THE SPRING AND FALL DURING MIGRATION; LAKES PONDS WITH ISLES MARSH	WINTERS IN EAST AND WEST COASTS, MIGRATES THROUGHOUT INTERIOR ON LARGE LAKES	COMMON MIGRANT STATEWIDE		504
0362	CANADA GOOSE ANAS CANADENSIS	COMMON THROUGHOUT IN MIGRATION; BREEDS IN M IN BGS ON MARSHES OR DRY GROUND	WINTERS NATIONWIDE BREEDS NORTHWEST US AND N MINNESOTA AND MICHIGAN	MIGRANT STATEWIDE, BREEDS STATEWIDE EXCEPT NORTHEAST		504
0364	BLACK BRANT ANAS NIGRICANS	OCCURS ONLY DURING MIGRATION ON GRASSY ISLES & SHORES OF LARGE LAKES	WINTERS ALONG WEST COAST, CASUAL IN UTAH MONTANA AND TEXAS	ACCIDENTAL, WITHIN COUNTY AND MARSHALL COUNTY		504
0365	WHITE FRONTED GOOSE ANAS ALBIFRONS	OCCURS ONLY DURING MIGRATION ON GRASSY SHORES OF SMALL LAKES	WINTERS CHIEFLY WEST OF THE MISSISSIPPI RIVER	MIGRANT STATEWIDE		504
0366	SNOW GOOSE (BLUE GOOSE) ANAS HYPERBOREA		WINTERS WEST COAST AND GULF COAST, IN MIGRATION, NATIONWIDE	STATEWIDE MIGRANT, NON-BREEDING SUMMER AND WINTER BIRDS SCATTERED		504
0369	MALLARD ANAS PLATYRHYNCHOS	NESTS ON GROUND IN THICK GRASS, BUSHES IN MEADOW, SWAMP OR UPLAND	BREEDS NORTHERN TO U- THIRD US, WINTERS NATIONWIDE	STATEWIDE MIGRANT AND BREEDER, WINTERS S AND N WHERE WATER OPEN		504
0370	BLACK DUCK ANAS RUBRIPES	NESTS IN MEADOWS AND MARSHES ON UPLAND	BREEDS ND, MN, WI, IL TO E COAST, WINTERS E THIRD US AND TEXAS	MIGRANT E AND W, SUMMER NE, WINTER SE		504
0372	PINTAIL ANAS ALUTA	NESTS ON LOW DRY UPLANDS IN GRASS OR UNDER BUSHES, OFTEN FAIR FROM WATER	BREEDS AZ TO IA TO NW PA NORTH-WASHU, WINTERS SAME AREA PLUS NE US	MIGRANT STATEWIDE EXCEPT NE, BREEDS S- PRAIRIES, WINTERS SE MUT WARE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ENIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/74 2214153

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101



## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE 401 26

IO NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0375	GREEN-WINGED TEAL ANAS CAROLINENSIS	NESTS ON DRY GROUND IN GRASSES OR BUSHES NEAR A LAKE OR MARSH	BREEDS CA TO NM TO S NM TO N-PA TO NE NORTHWARD.	MIGRANT STATE-WIDE EXCEPT NE, BREEDS, BUT RARE IN STATE, S HALF WINTERS		504
0376	BLUE-WINGED TEAL ANAS DISCOS	NESTS IN MARSH OR MEADOW OR ADJACENT UPLAND	BREEDS - THIRD US PLUS TX, MO, LA, AND TN	STATE-WIDE MIGRANT AND BREEDER		504
0376	EUROPEAN WIGEON MARECA PHELOPE	UNCOMMON IN US	WINTERS S US	CASUAL SPRING MIGRANT ENTIRE STATE		504
0377	AMERICAN WIGEON MARECA AMERICANA	NEST ON DRY GROUND SOME DISTANCE FROM WATER	OREGON TO MINNESOTA N NE TO IN, WINTERS S US	COMMON MIGRANT YEAR ROUND BREEDS N CENTRAL, N AND NE		504
0378	WOOD DUCK AIY SPONSA	NEST IN CAVITY OF TREE NEAR OR FAR FROM WATER	BREEDS ENTIRE US WINTERS S US	BREEDS STATE-WIDE WINTERS SE		504
0380	REDHEAD AYTHYA AMERICANA	NEST AMONG BUSHES OF SHALLOW MARSHES AND POND	BREEDS N-CENTRAL US WINTERS S US ALONG ATLANTIC AND GULF COASTS	COMMON MIGRANT BREEDS CENTRAL E TO N, RARE WINTER EAST CENTRAL		504
0381	RING-NECKED DUCK AYTHYA CULLARIS	NESTS SHORES MARSHY LAKES	BREEDS DAKOTAS TO CA WINTERS S US TO IL TO NJ	COMMON MIGRANT BREEDS SOUTHERN-EAST CENTRAL REGION		504
0382	CANVASMACK AYTHYA VALISINEMIA	NEST AMONG BUSHES OF SHALLOW MARSHES AND POND	BREEDS PRAIRIE AREAS NORTH-CENTRAL US WINTERS S US ALONG ATLANTIC-GULF	BREEDS N AND NARE EAST-CENTRAL AND SW VERY RARE WINTER		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/76 2216R153

DEVELOPED BY  
 ST. PAUL DISTRICT  
 COMPS OF ENGINEERS  
 ST. PAUL, MINN 55101

BIRDS OF THE MISSISSIPPI RIVER WATERSHED REGION

PAGE NO. 27

NO	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0383	GREATER SCAUP AYTHYA MARILA	VERY RARE BREEDER WITH LESSER SCAUP BAYS WITH SHORE FOOD PLANTS	BREEDS RARE NORTH CENTRAL US WINTERS US COASTS	UNCOMMON MIGRANT EXCEPT NE		508
0385	COMMON GOLDENEYE BUCEPHALA CLANGULA	BREEDS WOODS LAKES AND STREAMS, WINTERS IN OPEN WATER WITHIN RANGE	NORTH DAKOTA TO MAINE, WINTERS MIDWEST TO S US	BREEDS NE, NORTH CENTRAL, COMMON MIGRANT EAST AND CENTRAL		504
0386	NARROW-S GOLDENEYE BUCEPHALA ISLANDICA	COMMON IN WEST, ELBOWS IN OPEN WATER DURING WINTER	BREEDS N US, WINTER N US AND ALONG COASTS	CASUAL MIGRANT AND WINTER VISITOR		504
0387	RUFFLEHEAD BUCEPHALA ALBEOLA	NESTS HOLE IN TREE OR STUMP, NEAR OR OVER WATER	BREEDS N US, WINTERS N US TO SE US	COMMON MIGRANT STATEWIDE, CASUAL VISITOR SUMMER N		504
0388	OLD SWAMP CALANGLA MYALIS	DOES NOT BREED US UNCOMMON IN WINTER LAKELES WITH ISLES, OFFSHORE SHOAL	WINTERS US COASTS S TO NE AND N, UNCOM- MON GREAT LAKES S TO TX	COMMON MIGRANT N, CENTRAL, WARE S, COMMON WINTER LAKE SUPERIOR		504
0390	COMMON EIDER SUMATERA MULLTSSIMA	ABUNDANT, BUT BELOCH SEEN OFF COAST, COAST WITH SHOALS S WEEPS, GRASSY ISLES	WINTERS OFF NE COAST	ACCIDENTAL DURING FALL MIGRATION		504
0392	WHITE-INGED SCOTER MELANITTA DEGLANDI	UNCOMMON BREEDER AND MIGRANT WINTER IN SHRUB BY WATER, MAY OFFSHORE SHOAL	BREEDS N US WA TO NO WINTERS COASTS AND GREAT LAKES	UNCOMMON MIGRANT SUMMER VISITOR N		504
0393	BUFF SCOTER MELANITTA PERSPICILLATA	MOST COMMON SCOTER NESTS NEAR MARSHY POND AND LAKE, ALSO MUSKIE TUNDRA	WINTERS COASTS, GREAT LAKES, WARE CENTRAL, SW, SE US	UNCOMMON MIGRANT FALL, NE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIOINFORMATION SUBSYSTEM  
RUN DATE: 07/14/76 2214115

DEVELOPED BY  
ST. PAUL DISTRICT  
COMPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 28

TO NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0396	BLACK (COMMON) SCOTER DIEBIA NIGRA	LEAST COMMON SCOTER NEST IN COASTAL SAND DUNES; WINTER AT OPEN COAST WITH REEF	WINTERS COASTS, GREAT LAKES, NORTHEAST S TO LA	UNCOMMON MIGRANT FALL NE RARE MIGRANT SPRING NE		504
0395	RUDDY DUCK OXYURA JAMICENSIS	NEST IS HANGING FROM REEDS OVER WATER 185 FT DEEP, IN WOODLAND SWAMP & PONDS	WESTERN THROUGHOUT US	COMMON MIGRANT STATEWIDE EXCEPT NE AND NC, BREEDS C AND PRAIRIES		506
0396	WOODEN MERGANSER LOPHODYTES CUCULLATUS	NESTS IN HOLES IN TREES IN WOODLAND SWAMPS AND PONDS	BREEDS ON TO NY TO TN PLUS AR AND IA, WINTERS SAME PLUS S- US, NE US	STATEWIDE MIGRANT EXCEPT - PRAIRIES, RESIDENT STATEWIDE		506
0397	COMMON MERGANSER MERGUS MERGANSER	NESTS ON GROUND UNDER LOGS, BOULDER, BRANCHES OR IN DENSE WOODS OR BRUSH	BREEDS CA TO NM TO N MO TO MI TO NE US, WINTERS NATIONWIDE	STATEWIDE MIGRANT, BREEDS NC AND NE, WINTERS SE		504
0398	RED BREASTED MERGANSER MERGUS SENNATOR	NESTS IN A MESS OF HOCKS ON DENSE VEGETATION AT PONDS AND LAKES	BREEDS C MN TO E MI TO NE US, WINTERS NE S TO CA PLUS FL AND GULF COAST	MIGRANT IN C, E, AND N, BREEDS COOK, LAKE, ST. LOUIS, AND AITAIN COUNTIES		509
0399	TURKEY VULTURE CATHARTES AURA	NESTS ON GROUND BY LOGS BRUSH, MUCKS, OR ON ROCKY LEDGES	NATIONWIDE	UNCOMMON MIGRANT, RESIDENT IN FORESTED N AND ALONG ST CROIX MISSISSIPPI RIVER		504
0401	GOSHAWK ACCIPITER GENTILIS	BREEDS FORESTED AREA NESTS IN TREE TOPS	BREEDS CA TO CO TO N NM TO MI TO MO NORTH WINTERS SAME PLUS TX MO, TN, KY, WV, VA	TV RARE EXCEPT UDLUTH FLYWAY, MAKE NY STATEWIDE, FOREST OF N, SW		504
0402	SHARP SHINNED HAWK ACCIPITER STRIPATUS	BREEDS FORESTED AREA NESTS IN TREES 25 TO 50 FEET FROM GROUND	BREEDS NATIONWIDE EXCEPT SE, WINTERS NATIONWIDE	TV UNCOMMON EXCEPT UDLUTH FLYWAY, NM SE QUANTER, ON ALL HUT PRAIRIES		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (E-IRIAS)  
 BIO-INFORMATION SUBSYSTEM  
 RUN DATE: 07/04/76 22164145

DEVELOPED BY  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

BIROB OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE 401 29

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0403	COOPER'S HAWK ACCIPITER COOPERII	NESTS IN WOODED AREA IN TREES 15 TO 50 FEET UP	NATIONWIDE	SR STATEWIDE, RARE ON PHAENIXES, UNCOMMON OR, TV STATEWIDE BUT UNCOMMON		504
0404	RED TAILED HAWK BUTEO JAMAICENSIS	NESTS USUALLY IN TREES BUT CAN NEST ON ROCK LEDGES	BREEDS NATIONWIDE WINTERS NATIONWIDE	COMMON STATEWIDE TV AND SR, UNCOMMON NR STATEWIDE		504
0406	RED SHOULDERED HAWK BUTEO LINEATUS	NESTS IN TREES 35 TO 60 FEET UP	E TWO-THIRDS US	CASUAL STATEWIDE TV, SR AND NR SE QUARTER		504
0407	BROAD WINGED HAWK BUTEO PLATYPTERUS	NESTS 12 TO 60 FEET UP IN TREES	E TWO-THIRDS US	STATEWIDE IV, SR FORESTED AREAS ONLY		504
0408	SHARP-SHINNED HAWK BUTEO SHARP-SHINNED	USUALLY NESTS 40-60 FEET UP IN TREE, CAN NEST ON GROUND OR ON FACE UP CLIFF	BREEDS E HALF US, CASUAL IN E US	TV STATEWIDE RARE SR IN PHAENIXES		504
0409	ROUGH-LEGGED HAWK BUTEO LAGOPUS	OCCURS DURING SPRING AND FALL MIGRATIONS NEST STREAM LEDGES, IN FOREST ATONOMA	WINTERS NATIONWIDE	COMMON STATEWIDE TV, SR IN N THIRD BUT RARE		504
0410	FERRUGINOUS HAWK BUTEO REGALIS	NESTS IN COTTONWOODS POPLARS OR ON GROUND	BREEDS WA TO MN S TO ON TO WA TX, WINTERS S- US	RARE TV STATEWIDE RARE SR E QUARTER		504
0411	GOLDEN EAGLE AQUILA CHRYSAETOS	NESTS ON CLIFFS OR ELEVATED BANKS	BREEDS E HALF US ALBU NY, NM, AND NE, WINTERS LA, MS, AL, SC, AND N FL	RARE TV AND SR		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATIONAL SYSTEM  
RUN DATE: 07/09/74 22:04:55

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 30

ID NH	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0012	BALD EAGLE HALIAETUS LEUCOCEPHALUS	NEST IN FORESTED AREA IN TREE TOPS AND NEAR OPEN WATER	BREEDS NATION-WIDE WINTERS SAME AREA	UNCOMMON TV, SW N HALF, NR ALONG OPEN WATER OF MISSISSIPPI RIVER		504
0013	HARSH HAWK CIRCUS CYANEUS	NESTS ON GROUND IN OPEN OR BUSHY MEADOW	BREED CA TO N TX TO UN TO VA NORTHWARD WINTERS ALL BUT SE US	COMMON STATE-WIDE TV AND SW, UNCOMMON NR STATE-WIDE		504
0014	OSPREY PANDION HALIAETUS	NESTS TOP DEAD TREE NOT FAR FROM WATER BECOMING SCARCE	BREEDS GULF OF MEX. N TO N US	UNCOMMON - SIGNANT STATE-WIDE BREEDS NE N-CENTRAL		504
0015	GYRFALCON FALCO RUSTICOLUS	RARE N US; ROCKY CLIFFS AND BLUFFS	N US, MIGRATION AND WINTER	CASUAL WINTER VISITOR STATE-WIDE		504
0017	PEREGRINE FALCON FALCO PEREGRINUS	NESTS ON SHELF OR RECESS OF HIGH CLIFF OR BLUFF	SE US MID-EST, NE US TN MTS.	RARE - SIGNANT STATE-WIDE, COMMON COMMON SW, NR RARE C		504
0018	PIGEON HAWK OR MERLIN FALCO COLUMBARIUS	NESTS, HOLLOW TREES ON CLIFFS, HIVEN BLUFFS	NE TO N-C US - WINTER S-C US	RARE - SIGNANT STATE-WIDE BREEDS NE N-C		504
0019	AMERICAN KESTREL (SPANISH HAWK) FALCO SPARVERIUS	NESTS IN HOLE IN TREE OR CAVITY	BREEDS N-C, S-C US - WINTERS C, N-C, S US	COMMON - SIGNANT STATE-WIDE, BREEDS STATE-WIDE		504
0020	SPRUCE GROUSE CANACHITES CANADENSIS	CONIF. FORESTS UNCOMMON	SW N - N TO NE US	SW NE, N-C		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ENIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22:14:15

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 31

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0421	RUFFED GROUSE BUNASA UMHELLUS	COMMON BREEDS IN OPEN CLOUDY WOODS	PR N HALF US	PR STATEWIDE FORESTED AREAS		504
0423	GREATER PRAIRIE CHICKEN TYMPANUCHUS CUPIDO	VIRGIN GRASSLANDS AND PRAIRIES, DECLINING LOSS OF HABITAT	GREAT PLAINS FROM CO TO MI AND AR	PR N, RARE NWC OR W-C, SN DECLINING		504
0424	SHARP-TAILED GROUSE PROIDECETES PHASIANELLUS	COMMON IN PRAIRIES AND BUSHLAND	NW US TO W I S TO NE	PR N ALSO N W-C		504
0427	RING-NECKED PHEASANT PHASIANUS CULMICUS	NEST ON GROUND RUSBY LOWLANDS AND OPEN WOODLANDS	NATION-WIDE	PR STATEWIDE		504
0434	VIRGINIA NAIL HALLUS LITICOLA	NESTS IN A MARSH OR SLUGH	BREEDS CA TO N OR TO N AL TO NC NORTHWARD WINTERS - EIGHTH US, SE QUARTER US	SN STATEWIDE, BREEDS ST LOUIS COUNTY, UNCOMMON TV, WARE W		504
0435	BURA NAIL PURZANA CAMOLINA	NESTS IN MARSHES AND SLUGHS NORTHWARD, WINTERS S QUARTER US	BREEDS CA TO NW TO OH TO W V NORTHWARD, WINTERS S QUARTER US	STATEWIDE TV AND SN LESS COMMON IN FORESTED AREAS OF NE		504
0436	YELLOW NAIL CUTURNICOPS PUVERONACENSIS	NESTS IN MARSHES AND WET MEADOWS SEVERAL INCHES ABOVE THE WATER	BREEDS CA, ME, NH, MA, MA, CT, OH, AND CT, WINTERS OR TO CA AND LA TO FL	WANE TV, SN COMMON IN NW, BREEDS MURRAY, SHEBOHNE, WANNUPEN, WITHIN CO.		504
0439	COMMON GALLINULE GALLINULA CHLOROPUS	NESTS IN MARSHES AND SWAMPY LAKES.	BREEDS NATION-WIDE EXCEPT NW QUARTER, WINTERS S THIRD US.	COMMON SW AND TV S HALF, UNCOMMON N HALF		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUBSYSTEM  
RUN DATE: 07/20/74 22:08:13

DEVELOPED BY:  
ST. PAUL DISTRICT  
COMPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER WATERS REGION

PAGE NO: 32

ID NO	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE LOUE
0041	SEMPALMATED PLOVER CHARADRIUS SEMPALMATUS	SPRING AND FALL MIGRATION; LAKE SHORE W/ SANDY OR GRAVEL BEACHES	WINTERS C CA, GULF COAST, AND E COAST S OF VA	UNCOMMON STATE-IDE TV		504
0042	PIPING PLOVER CHARADRIUS HILOOCH	NESTS IN SHALLOW DEPRESSION, IN GRAVEL OR SAND, ON BEACH OR DRY UPLAND	BREEDS NE GUANTANAMO PLUS NO, SC, MN, WINTERS GULF COAST, SOUTH E COAST	WANE TV EXCEPT FOR JULY 17TH WHEN UNCOMMON, SH N HALF		504
0043	KILLDEER CHARADRIUS VOCIFERUS	NESTS IN SHALLOW DEPRESSION ON GROUND	BREEDS NATIONWIDE, WINTERS S HALF US,	SH, TV STATE-IDE, OR S THING		504
0044	AMERICAN GOLDEN PLOVER PLUVIALIS AUSTRALIS	OCCURS IN MIGRATION ALONG COASTS	WINTERS LA AND MS COASTS,	TV C AND S 100- THINGS, CASUAL BY AC.		504
0045	BLACK BELLED PLOVER SHOOTER SHOOTER	OCCURS FALL, SPRING AND SUMMER ON RIDGES OR PLUFFS OF VALLEYS	NON-BREEDING BIRDS NATIONWIDE IN SUMMER WINTERS ALONG GULF AND E. COASTS	UNCOMMON STATE-IDE TV		504
0046	RUDDY TURNSTONE ARENARIA INTERPRES	OCCURS IN MIGRATION	WINTERS E AND S COASTS, ALSO GULF COAST	UNCOMMON STATE-IDE TV		504
0047	AMERICAN WOODPECKER PHILOMELA MINOR	NESTS ON GROUND UNDER DOUBLED THICKET NEAR NET LAND	BREEDS E HALF US WINTERS S HALF US,	TV EC, C, NC, AND NE UNCOMMON, ELSEWHERE WANE, SH NE, NC, E, EL, SE AND S		504
0048	COMMON (WILSON'S) SNIP CAPPELLA GALLINAGO	NESTS ON MUDFLAT IN DRY GRASS IN A MUD OR SAND	BREEDS ON TO VA NORTHWARD, WINTERS S 100-THINGS US	STATE-IDE TV AND SR		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22:41:55

DEVELOPED BY  
ST. PAUL DISTRICT  
LUMPS UP ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 33

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0449	LONG BILLED CURLEW NUMENIUS AMERICANUS	NESTS IN SLIGHT MOLLUS ON OPEN PRAIRIE NEAR WATER	BREEDS MT TO TX WEST BUT NOT INCLUDING W COAST	CASUAL MIGRAIN		504
0450	WHIMPEL NUMENIUS PRAECIPUUS	OCCURS SPRING SUMMER AND FALL IN ROUGH GRASS WITH POSS	TV USUALLY ALONG E AND W COASTS	TV, CASUAL STATEWIDE, SV AT DULUTH		504
0451	UPLAND SANDPIPER BARTRAMIA LONGICAUDA	NEST IN DEPRESSION ON GRASS IN GRASS OF PRAIRIES OR AREA OF SOME WOODS	BREEDS MT TO NY TO MO TO VA NORTHWARD MIGRATES EASTERN TWO-THIRDS US	UNCOMMON TV AND SN STATEWIDE EXCEPT NC AND NE		504
0452	SPOTTED SANDPIPER ACTIS MACULARIA	NESTS IN DEPRESSION ON GRASS USUALLY NEAR BEACHES OR SAND-BARS	BREEDS NORTH-ERN THREE-QUARTERS US, WINTERS S QUARTER US	COMMON TV AND SN STATEWIDE		504
0453	SULITARY SANDPIPER TRINGA SULITARIA	EGGS LAID DESERTED TREE-NESTS OF OTHER BIRDS	CENTRAL UNITED STATES TO PENNSYLVANIA	UNCOMMON MIGRANT VERY RARE SN E-C		504
0455	GREATER YELLOW-LEGS TUTANUS MACULOLEUCUS	NESTS MUSKIEG, TUNDRA SUMMER, WINTER IN WINTER	MIGRATES NORTHERN US TO EAST COAST, GULF COAST	UNCOMMON MIGRANT STATEWIDE		504
0456	LESSER YELLOW-LEGS TUTANUS FLAVIPES	MUD FLATS, SHALLOW POND, DURING MIGRATION	SV N US, W GULF STATES, TV E HALF US	COMMON TV STATEWIDE		504
0457	RED KNUT CALIDRIS CANADENSIS	COMMON ALONG SANDY SHORES, ROCKS, MUD FLATS	MIGRANT C. ALONG COASTS US, WINTERS S CA, GULF COAST, E US MA TO FL	RARE TV STATEWIDE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22:48:55

DEVELOPED BY:  
ST. PAUL DISTRICT  
CAMPS OF ENGINEERS  
ST. PAUL, MINN 55101



BIROB OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 3A

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0458	PECTORAL SANDPIPER EMOLIA MELANOTOS	UNCOMMON IN GRASSY MARSHES, WET FIELDS	MIGRATES C US SPRING ALONG E COAST FALL	COMMON TV STATEWIDE, UNCOMMON SR N HALF		504
0459	WHITE-THROATED SANDPIPER EMOLIA PUSILLUS	UNCOMMON, MUD FLATS SANDY BEACHES	MIGRATES N-C US, S ALONG E COAST	UNCOMMON SPRING TV		504
0460	HAIRD'S SANDPIPER EMOLIA HAIRDI	UNCOMMON SHORT GRASS MARSHES, ON SHORES MUDFLATS	MIGRATES C US, MORE SCARCE ON EAST COAST	UNCOMMON TV STATEWIDE		504
0461	LEAST SANDPIPER EMOLIA MINUTILLA	SALT MARSHES, MUDGY SHORES OF RIVER ESTUARIES	TV NATIONWIDE, NR SE	COMMON TV STATEWIDE, EXCEPT UNCOMMON SPRING N-C NE		504
0462	DUNLIN EMOLIA ALPINA	COMMON ALONG COASTS WINTER	TV E HALF US, WINTERS COASTS, GULF COAST	COMMON TV STATEWIDE, ABUNDANT N SHORE LAKE SUPERIOR AT TIMES		504
0463	SHORT-BILLED DO-ITCHER LIMNODROMUS GRISEUS	COMMON ALONG COASTS, SMALL PONDS, ON LAKES	WINTERS S US, HIGHLY - COAST, - MISS, VALLEY	RARE TV STATEWIDE		504
0464	LONG-BILLED DO-ITCHER LIMNODROMUS SCLOPACUS	COMMON ON MUD FLATS SHALLOW PONDS	FEW BY LA, TX, LA, WINTER S US CA TO TX MIGRATES THRU WEST HALF UP US	UNCOMMON TV STATEWIDE, RARE N-C NE		504
0465	SEMPALMATED SANDPIPER FREUNTER PUSILLUS	ABUNDANT ON FRESH, SALT WATER	MIGRATES E TWO THROB US, WINTERS SE US COASTS	COMMON TV STATEWIDE ABUNDANT NE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
SIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/78 2214113

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 33

ID NP	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0467	WESTERN SANDPIPER EQUQUETES MAURI	COMMON ON SANDHAMS MUDFLATS	TY YEAR MOUND = HALF US, FALL TY & HALF US = WINTER = COAST, GULF, SE COAST US	RARE TO UNCOMMON S HALF, RARE TO CASUAL N HALF		504
0468	RUFF-NESTED SANDPIPER TRYNGITES SUBRUFICOLLIS	RARE IN SHORT GRASS HABITATS	MIGRATES THRU C US	SPRING PARE TY = CASUAL ELSEWHERE UNCOMMON FALL NE		504
0470	MIDMONTAIN GODWIT LIMOSA MAENASTICA	UNCOMMON IN MARSHES, MEADOWS, SHORES AND MUDFLATS	MIGRATES THRU CENTRAL US	UNCOMMON TY W, RARE TY C, E, FALL CASUAL TY STATEWIDE		504
0472	SANDERLING CHOCETHIA ALBA	COMMON ALONG SANDY BEACHES AT WATERS EDGE	MIGRATES ENTIRE US = WINTERS US COASTS	COMMON TY E HALF UNCOMMON = HALF		504
0475	RED PHALAROPE PHALAROPUS FULICARIUS	UNCOMMON ALONG COAST	MIGRATES ALONG US COASTS, RARE INTERIOR US	EXTREMELY RARE TY NE		504
0477	NORTHERN PHALAROPE LURIPES LURATUS	UNCOMMON TO RARE INLAND AT SMALL GRASSY PONDS OR WET MEADOWS	TY NW ONE THIRD US TY ALONG COASTS	COMMON TY S, NE UNCOMMON ELSEWHERE		504
0478	PURCHINE JAEGER STERCORARIUS PURCHINUS	RARE TY INLAND TO MISSISSIPPI RIVER, LAKE SUPERIOR & VERY LARGE LAKES	TY US COASTS	RARE TY FALL NE		504
0479	PANAMINTIC JAEGER STERCORARIUS PANAMINTICUS	RARE TY INLAND AT DRY SPOTS IN SWAMPS	TY E, = COASTS, GREAT LAKES	VERY RARE TY NE CASUAL SPRING NE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/09/74 2214R153

DEVELOPED BY:  
ST. PAUL DISTRICT  
COMPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 36

IO NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0480	LONG-TAILED JAEGER STERCORARIUS LONGICAUDUS	VERY RARE COASTS AND INLAND	TV & N COASTS, GREAT LAKES	EXTREMELY RARE STATEWIDE		504
0481	GLAUCOUS GULL LARUS HYPERBOREUS	UNCOMMON; VISITS BEACHES ON SMALL ISLETS OF A POND	WINTERS NE COAST FEW GREAT LAKES	UNCOMMON TV NE CASUAL ELSEWHERE		504
0482	ICELAND GULL LARUS GLAUCOIDES	UNCOMMON-RARE GREAT LAKES; HIGH ROCKY CLIFFS OR LOW SANDY SHORES	WINTER NE COAST, GREAT LAKES	VERY RARE TV NE		504
0484	MERRING GULL LARUS ARGENTATUS	ABUNDANT ALONG COASTS COMMON LAKES AND RIVERS SPECIALLY WITH ISLANDS	TV ENTIRE US, WINTERS US COASTS GREAT LAKES, LARGE RIVERS, LAKES	COMMON TV STATEWIDE		504
0485	RING-BILLED GULL LARUS DELTAWARENSIS	COMMON, SR NW WINTERS NE, COASTS, GREAT LAKES; GROUND NESTS OF WEEDS	TV NATIONWIDE	COMMON TV STATEWIDE		504
0486	FRANKLIN'S GULL LARUS PILIFICAN	COMMON ON PRAIRIES	SR BU MN PRAIRIES OR GULF COAST	SPRING, COMMON TV N, S, SR S, SV S, L.		504
0487	ANAPARTIS GULL LARUS PHILADELPHIA	COMMON ON COASTS AND LARGE LAKES WINTER COLONY NESTS, 4-20 FT IN EVERGREENS	TV & TWO THIRD US N COASTS US	COMMON TV C.N., UNCOMMON PRAIRIES, BE RARE SV N HALF LARGE LAKES		504
0491	FUNSTERB TENN STECARIUS FURSTERI	NESTS ON OLD MURBAT HOUSES OR FLOATING DEBRIS	BREEDS IN QUARTER TO NORTH-CENTRAL US PLUS TX, LA, VA, MO, WINTERS S US	COMMON TV AND SW IN N AND C, WEST OF MISSISSIPPI RIVER WEST, RARE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 2210H153

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 37

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0492	COMMON TERN STERNUS TERN HIRUNDO	NESTS IN COLONIES IN DEPRESSIONS ON SANDY BEACHES OF SMALL ROCKY ISLANDS	BREEDS N THRO US PLUS SE TX, FL, AND N HALF EAST COAST	TV COMMON & HALF UNCOMMON N HALF BREEDS NC AND NE, SV ELSEWHERE		504
0493	CASPIAN TERN HYDROPROGNE CASPIA	NESTS IN COLONIES IN DEPRESSION ON SANDY OR GRAVEL BEACHES OR ISLANDS	BREEDS N THRO US AND HI TO PA, VA, SC, LA, & TX. WINTERS SW AND GULF COAST	STATEWIDE TV, RARE SV FROM WRIGHT TO ROBEAU COUNTIES NORTHEAST		504
0496	BLACK TERN CHLZONIAS NIGRA	NESTS IN MARSH OR SLOUGH AND ON FLOATING DEBRIS OR MUSKRAT HOUSES	BREEDS N THREE QUARTERS US PLUS SW	TV STATEWIDE OR STATEWIDE EXCEPT NE		504
0497	DOVERIE REAUTUS ALLE	FALL DURING MIGRATION, ROCKY CLIFFS WITH RANK GRASS	WINTERS ALONG N THRO E COAST	ACCIDENTAL N THRO		504
0498	ANCIENT MURRELET SYNTHLIBORAMPHUS ANTIQUUM	OCCURS FALL AND WINTER ALONG CLIFFS	WINTERS N COAST	ACCIDENTAL FALL AND WINTER ENDS NING MCLEOD, AND ITASCA COUNTIES		504
0499	BAND TAILED PIGEON COLUMBA FASCIATAIATA	NESTS IN URM ON PINE WOODS	BREEDS MA, OR, CA, UT, AND CO. WINTERS AZ, NM AND S CA	ACCIDENTAL CENTRAL		504
0500	ROCK DOVE COLUMBA LIVIA	NESTS ON BUILDINGS	NATIONWIDE	THROUGHOUT INHABITED PARTS		504
0501	MOURNING DOVE ZENAIQUHA MACRORUA	NESTS IN LUFTEN LIMBS OF TREES	NATIONWIDE	SW AND TV STATEWIDE EXCEPT NE COMMON, N & HALF,		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/78 22:04:53

DEVELOPED BY:  
ST. PAUL DISTRICT  
LOOPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 38

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0502	YELLOW BILLED CUCKOO CUCULYZUS AMERICANUS	NESTS TWO-THREE FEET FROM GROUND IN TANGLED UNDERGROWTH OR LOWER LIMBS	BREEDS OR TO MN TO NE SOUTHWARD	STATE-IDE BR,TV, BUT LESS COMMON IN NE.		504
0503	BLACK BILLED CUCKOO CUCULYZUS ERYTHROPTALMUS	NESTS 2-3 FEET FROM GROUND IN TANGLED UNDERGROWTH OR LIMBS OF TREES	BREEDS NY TO NY TO SC NORTHWARD	STATE-IDE BR,TV,		504
0504	SCREECH OWL OTUS ASIO	NESTS IN TREE CAVITY OR NESTING BOX	RESIDENT NATION-IDE	PR STATE-IDE EXCEPT NE,NC,		504
0507	GREAT HORNED OWL BUBO VIRGINIANUS	NESTS IN TREE HOLLOW ON OLD WARE OR CROW NESTS	BREEDS NATION-IDE	STATE-IDE PR		509
0508	SNOWY OWL NYCTEA BLANDIACA	MORE WOODED AREAS RATHER THAN OPEN COUNTRY, FALL, WINTER AND SPRING	WINTERS NO, MN, NY, OCCASIONALLY TO N TWO-THIRDS US PLUS TX, CA, LA, GA	UNCOMMON W, TV, STATE-IDE, MORE NUMEROUS IN NORTH		504
0509	WAKE OWL BURNIA ULULA	NESTS IN TREE CAVITY OR IN BRANCHES	BREEDS N MN TO MI WINTERS N THIRD US	WAKE TV, WY N HALF		504
0511	WANDER OWL STRIX VAGRA	PR SWAMPY RIVER BOTTOMS	E TWO THIRDS US	PR STATE-IDE		504
0512	GREAT GRAY OWL STRIX NEBULOSA	WAKE IN PINE, SPRUCE FORESTS	PR MN TO WY US	WAKE WY N HALF WINTER UNCOMMON S HALF, CASUAL BR EXTREME NO		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/74 22100153

DEVELOPED BY  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 39

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0513	LUNG-LEAVED O-L ASIO OTUS	COMMON DECIDUOUS OR CONIFEROUS WOODS NEAR OPEN COUNTRY	WY S HALF US, PH N HALF US, SREUS NE US	RARE TV STATE-IDE, REGULAR BUT RARE S HALF, SUMMER RESIDENT STATE-IDE		504
0514	SHORT-EARED O-L ASIO FLAMMEUS	COMMON IN OPEN COUNTRY OVER PLAINS BLOUGHS, MARSHES E-WET HEADQNS	WY S TWO THIRDS US PR N ONE THIRD US, SW N MID-WEST TO NE US	UNCOMMON TV STATE-IDE, RARE NE, SE SR STATE-IDE EXCEPT E-C, NE		504
0515	BUREAL O-L AEGOLIUS FUMEREUS	N DECIDUOUS AND CONIFEROUS FORESTS	WY N EDGE US	VERY RARE WY N CASUAL C, ACCIDENTAL S		504
0516	SA-WHET O-L AEGOLIUS ACAUICUS	COMMON, ROUSTS DENSE YOUNG EVERGREENS, THICKETS	WY S HALF US, PH, N HALF US	RARE TV STATE-IDE		504
0517	WHIP-POOR-WILL CAPRIMULGUS VUCIFERUS	COMMON ROOST IN WOODS	E HALF US, S- US WINTER SE, GULF COAST	RARE SPRING TV STATE-IDE, SR STATE-IDE BUT RARE NE		504
0518	POOR-WILL PHALAENOPTILUS NUTTALLII	COMMON ROOST IN WOODS	E HALF US EXCEPT NC PR SE	ACCIDENTAL W-C E EDGE OF WANGE		540
0519	COMMON NIGHTHAWK CHORDEILES MINOR		COMMON SW NATION-IDE	COMMON TV STATE-IDE, SW STATE-IDE		504
0520	CHIMNEY SWIFT CHAETURIA PELAGICA	COMMON EVERYWHERE, NNEEDS IN CHIMNEYS	TV, SR E HALF US	COMMON TV, SW STATE-IDE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
SIU-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22446:55

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS UP THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 40

IO NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0522	RUBY-THROATED HUMMINGBIRD ARCHILOCHUS CULURIS	COMMON, NEAR TUBULAR FLOWERS, GARDENS, WOODS	TY BR E HALF US	COMMON TY, BR STATEWIDE		500
0523	BELTED KINGFISHER MEGACERYLE ALEUTICA	COMMON ALONG STREAMS AND PONDS	NR N COAST, SW, SE, TY SW, PR N COAST SE HALF	COMMON TY, SW STATEWIDE, UNCOMMON NW, NR S HALF		500
0524	COMMON (YELLOW-BEAKED) FLICKER COLAPTES AURATUS	COMMON IN OPEN COUNTRY NEAR LARGE TREES	NR NATIONWIDE EXCEPT BR NE EDGE, NW SC	COMMON TY, SW STATEWIDE, UNCOMMON S HALF, RARE N HALF NW		500
0525	WHEATEAR WOODPECKER DENDROCORUS VILLOSA	UNCOMMON IN EXTENSIVE DECIDUOUS OR MIXED FORESTS	PR NW CORNER, E HALF US	PR STATEWIDE, RARE S HALF		500
0526	RED-BELLIED WOODPECKER CENTURUS CAROLINUS	COMMON IN WOODLANDS	E HALF US, EXCEPT N EDGE	PR BR WTR, CASUAL TY, NW ELSEWHERE		500
0527	RED-HEADED WOODPECKER MELANERPES ERYTHROCEPHALUS	UNCOMMON IN OPEN DECIDUOUS WOODS	PR SE US NW TO IA, BR NE, MID-WEST TO ID	COMMON TY STATEWIDE, RARE N WS STATEWIDE NANE N		500
0528	YELLOW-BELLIED SAPSUCKER SPHYRACUS VARIUS	COMMON IN WOODS AND ORCHARDS	BR N NW S TO MO, IN, N ON, AND SE US, NW MI, MI AND S NE US TO GULF STATES	REGULAR TY, BR CASUAL NW S HALF		500
0530	Hairy Woodpecker DENDROCORUS VILLOSA	NESTS IN DECIDUOUS OR MIXED WOODS IN HOLE IN DEAD OR LIVING TREE	PR NATIONWIDE	COMMON NW STATEWIDE		500

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22:44:53

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 41

IO NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0531	DOWNY WOODPECKER DENDROCOEUS PUBESCENS	NESTS IN DEAD OR LIVING TREES IN WOODS, ORCHARDS, SUBURBS ETC.	PR NATIONWIDE EXCEPT S- TX, S NM, AND S AZ	STATEWIDE PR		504
0532	BLACK-BACKED 3 TOED WOODPECKER PICOIDES ARCTICUS	NESTS IN CONIFEROUS FOREST IN DEAD OR LIVING TREES, USUALLY LIVING	BREEDS CA TO NY TO N NM TO N MI TO NM TO NE MONTWARD	UNCOMMON TV, NY N HALF, SH CONIFEROUS FORESTS N HALF		509
0533	NORTHERN 3 TOED WOODPECKER PICOIDES TRIDACTYLUS	NESTS IN DEAD OR LIVING TREES OF CONIFEROUS FORESTS	PR ROCKY MOUNTAINS N AZ, N NM NORTHWARD, ALSO N NM AND NY NORTHEASTWARD	HAKE NV AND SV IN N CONIFEROUS FORESTS		504
0534	EASTERN KINGBIRD TIRANNUS TIRANNUS	NESTS OPEN TO SEMI- OPEN COUNTRY, USUALLY ON HORIZONTAL LIMB OF TREE	BREEDS WA TO TX EASTWARD	COMMON SR, TV STATEWIDE		504
0535	WESTERN KINGBIRD TIRANNUS VERTICALIS	NESTS OPEN TO SEMI- OPEN COUNTRY, USUALLY ON HORIZONTAL LIMB OF TREE	BREEDS N HALF US	TV STATEWIDE BUT UNCOMMON SW N HALF		504
0536	GLASSBORO-TAILED FLYCATCHER MUSCIVORA PUMPLICATA	OCCURS FALL AND SUMMER IN OPEN COUNTRY	BREEDS NM TO NE TO LA SOUTHWARD	CASUAL STATEWIDE		504
0537	GREAT CHESTED FLYCATCHER MYIARCHUS CRINITUS	NESTS IN CAVITY IN DEAD LIMB OF TREE OR ROTTEN STUB AS IN RIVER VALLEYS	BREEDS E TWO-THIRDS US	STATEWIDE TV, SH		504
0538	EASTERN PHOEBE SAYORNIS PHOEBE	NESTS OLD BUILDINGS, UNDER EYES, UNDER BRIDGES ETC.	BREEDS N NM TO E COAST NORTHWARD WINTERS SOUTH OF THIS AREA	STATEWIDE SH, TV		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ENIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/76 22100153

DEVELOPED BY  
 ST. PAUL DISTRICT  
 LUMPS OF ENGINEERS  
 ST. PAUL, MINN 55101



## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 42

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0540	YELLOW-BELLIED FLYCATCHER EMPIDONAX FLAVIVENTRIS	NESTS ON GROUND IN A MOSSY HUMMOCK OR MOSS COVERED BUDS	BREEDS N ND, N MN, N WI, NE PA, AND NY	UNCOMMON STATEWIDE TV, BR NE, NC,		504
0542	WILLOW FLYCATCHER (TRAILL'S) EMPIDONAX TRAILLII	NESTS IN OPEN TO SEMI-OPEN COUNTRY	BREEDS E MT TO OR TO VI NORTH-AND	IN S AND W IN MORE OPEN COUNTRY		504
0543	ALDER FLYCATCHER (TRAILL'S) EMPIDONAX ALNORUM	NESTS IN BOREAL FOREST	BREEDS W HALF US	BR IN BOREAL FORESTS STATEWIDE		504
0544	LEAST FLYCATCHER EMPIDONAX MINIUS	NESTS IN SCRUB GROWTH, MOSS HANGING ON LIMB OR CROTCH OF TREE	BREEDS MT TO NY TO KS TO NC NORTH-AND	STATEWIDE BR TV		504
0545	EASTERN WOOD PEWEE CONTOPHIS VIRENS	NESTS IN DECIDUOUS OR MIXED WOODS ON HORIZONTAL LIMB,, OFTEN DEAD	BREEDS E HALF US,	STATEWIDE BR, TV		504
0546	OLIVE SIDED FLYCATCHER NOTTALORNIS SURREALIS	NESTS IN A CONIFEROUS FOREST USUALLY FAR OUT ON BRANCH	BREEDS W THIRD US, N HALF US	STATEWIDE TV BR NE, NC		504
0547	MURDED LARK EMEMPHILA ALPESTRIS	COMMON IN SEMI-OPEN OPEN FIELDS	PR NATIONWIDE EXCEPT LA TO GA S	TV STATEWIDE, BR STATEWIDE EXCEPT NE, NC, NH S THROUGH		504
0548	TREE SWALLOW MIDOPROCNF BICOLOR	NESTS IN HOLE IN TREE, FENCE, NOTTEN STUB, ETC.	BREEDS N TWO-THIRDS US, WINTERS E COAST AND S QUARTER US	COMMON BR, TV STATEWIDE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
SIG-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22:44:53

DEVELOPED BY:  
ST. PAUL DISTRICT  
COMPS OF ENGINEERS  
ST. PAUL, MINN 55101

BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 43

IO NH	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0549	BANK SWALLOW RIPARIA RIPARIA	COMMON NEAR STEEP RIVER BANKS, GRAVEL PITS	TV THRU S US, BREEDS N= US TO TX, NE US TO TX, ACROSS N US	COMMON SR, TV STATEWIDE		504
0550	ROUGH-WINGED SWALLOW STELGIOPTERYX RUFICOLLIS	COMMON ESPECIALLY NEAR WATER, NEST ON BANK OF RIVER OR LAKE	SR ENTIRE US	COMMON TV N=, C, S, SR S, C		504
0551	BARN SWALLOW HIRUNDO RUSTICA	COMMON NEAR FARMS, BUILDINGS	SH ENTIRE US EXCEPT TV SE TX TO FL	COMMON SR, TV STATEWIDE		504
0553	PURPLE MARTIN PROCEPS SUBIS	COMMON IF NEST BOX PROVIDED	SR & TWO THIRDS US AND EXTREME N COAST, TV S= C	COMMON SR, TV STATEWIDE		504
0554	GRAY JAY (OH CANADIAN) PERISOREUS CANADENSIS	COMMON IN CONIFEROUS FORESTS	PR N= US, SE TO NH, N N EDGE US	PR NE, N= C, TV UNCOMMON C, E= C		504
0555	BLUE JAY CYANOCEITTA CRISTATA	COMMON OAK, PINE WOODS	PR & TWO THIRDS US	COMMON PR, TV STATEWIDE		504
0556	BLACK-BILLED MAGPI (AMERICAN) PICA PICA	COMMON OPEN COUNTRY NEAR HEAVY BUSH OR FEW TREES	PR N= US, N MIDWEST	COMMON FALL TV N=, N= C, RARE SR = EDGE		504
0557	COMMON RAVEN CURVUS CURAX	COMMON IN HEAVY TIMBER	PR = ONE THIRD US, NE TO N= C EDGE US	UNCOMMON TO COMMON TV N HALF, RARE S, SH N= C, NE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
SIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 2210R153

DEVELOPED BY  
ST. PAUL DISTRICT  
CAMPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 44

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0558	COMMON CROW CURVUS HYALHYNCHOS	COMMON EVERYWHERE AS WOODLOTS NEAR CROPS & STREAMS	PR NATION=IDE EXCEPT SR E EDGE OF NM, NR SE	COMMON TV, SR STATE=IDE, NR S HALF		504
0559	CLARK'S NUTCRACKER NUCIFRAGA COLUMBIANA	COMMON IN CONIFERS NEAR TIMBERLINE	PR = ONE THIRD, NV E OF THIS AREA	HAKE FALL TV, VERY RARE NR E=C		504
0560	BLACK-CAPPED CHICKADEE PARUS ATOCAPILLUS	COMMON WOODED AREAS	PR N HALF US, NR S EDGE OF THIS REGION	COMMON PR STATE=IDE, TV FALL NE		504
0561	BUREAU CHICKADEE PARUS MUSCINICUS	COMMON CONIFEROUS FORESTS	PR N EDGE NM, N EDGE MIDWEST TO NM, NR NE COMMON	PR, NV NE, N=C		504
0562	TUFTED TITMOUSE PARUS BICOLOR	COMMON DECIDUOUS WOODLANDS INCLUDING RIVER VALLEYS	SE US, IA TO TX, IA TO NJ	PR SE, N=C, CASUAL WINTER TV STATE=IDE		504
0563	WHITE-BREASTED NUTHATCH Sitta CAROLINENSIS	COMMON DECIDUOUS WOODLANDS	PR NATION=IDE EXCEPT DARTAS S TO TX	PR STATE=IDE, NV NE		504
0564	RED-BREASTED NUTHATCH Sitta CANADENSIS	COMMON IN CONIFERS	PR = ONE THIRD, NE, N EDGE US, NR ENTIRE US	NR NE, N=C, CASUAL E=C, NV STATE=IDE		504
0565	BROWN CREEPER CERTHIA FAMILIARIS	COMMON IN WOODLANDS	PR SW ONE THIRD N TO DR, N MIDWEST, NE COMMON NR S FOUR-FIFTHS US, SR N EDGE US	COMMON TV STATE=IDE, NV S T-O THINUS, SW N=C, NR		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/76 2210055

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 COMB UP ENGINEERS  
 ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 45

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0567	HOUSE WREN TROGLODYTES AERON	COMMON IN SHRUBBERY AND BRUSH	SR N TO D THIRDS, NR S EDGE US	COMMON SW, TV STATEWIDE		504
0568	WINTER WREN TROGLODYTES TROGLODYTES	BRUSH PILES, THICK UNDERGROWTH IN MOIST FORESTS, SPRUCE & CEDAR BGS, DENSE PINE	PR NW CORNER, SR NW, N EDGE ND TO MN, OR S CA AND SE US	UNCOMMON TV STATEWIDE		504
0571	LONG BILLED MARSH WREN TELMATODYTES PALUSTRIS	NESTS IN REEDS OR CATTAILS OVER WATER	BREEDS NATIONWIDE WINTERS S EIGHTH US PLUS S ROCKY MOUNTAINS	COMMON TV, SW STATEWIDE EXCEPT NE AND NC WHERE RARE		504
0572	SHORT BILLED MARSH WREN CISTOTHORUS PLATENSIS	NESTS IN DAMP MEADOWS A FEW INCHES OVER WATER	BREEDS NE HALF US WINTERS TX TO VA SOUTHWARD, PLUS ATLANTIC COAST	COMMON SW, TV STATEWIDE EXCEPT NE WHERE UNCOMMON		504
0574	MCKENGINA MINUS POLYGLOTTOS	NESTS IN BUSHES OR TREES IN SEMI OPEN AREAS	BREEDS C CA TO NEBRASKA TO S SO EAST TO EAST COAST SOUTHWARD	RARE TV STATEWIDE RARE SW STATEWIDE EXCEPT SW, RARE WY IN E AND C		504
0575	GRAY CATBIRD DUMETELLA CANADENSIS	NESTS IN BUSHES OR VINE TANGLES NEAR GROUND TO TEN FEET UP	BREEDS WA TO NM TO TX TO GA NORTHWARD WINTERS TX TO VA SOUTHWARD	COMMON TV, SW STATEWIDE BUT RARE IN N FORESTS, WY BUT RARE		504
0576	BROWN THRASHER TUXUSTOMA RUPUM	NESTS IN THICK BUSHES SMALL TREES OR TANGLED VINES	BREEDS MT TO CO TO TX EASTWARD, WINTERS SE HALF US	COMMON TV, SW STATEWIDE EXCEPT DENSE MIXED CONIFER WOODS, WP		504
0577	AMERICAN ROBIN TURUS MIGRATORIUS	NESTS IN WOODLAND, PARKS, ORCHARDS AND CITIES IN TREES	BREEDS NATIONWIDE, WINTERS S TWO-THIRDS PLUS NE AND NW	ABUNDANT TV, SW STATEWIDE, RARE TO UNCOMMON OR STATEWIDE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/76 22144153

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CHIEFS OF ENGINEERS  
 ST. PAUL, MINN 55101

BIROS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 46

IO NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0578	VARIED THRUSH TARDEUS NAEVIUS	MOIST CONIFER WOODS APPARENTLY EXTENDING ITS WINTER RANGE EASTWARD	PN NR EIGHTH US WINTERS ALONG PACIFIC COAST	REGULAR BUT RARE WV STATE-IDE, BUT MORE COMMON NEAR CITIES		504
0579	WOOD THRUSH MYLOCICHLA MUSCULINA	NESTS IN CROTCH OF SMALL TREE	BREEDS E HALF US	UNCOMMON TV SR EXCEPT CONIFEROUS FORESTS IN N		509
0580	HERMIT THRUSH MYLOCICHLA GUTTATA	NESTS USUALLY ON GROUND IN MOIST WOODS	BREEDS N THIRD US PLUS TX, N QUARTER US WINTERS N COAST, S THIRD US.	STATE-IDE TV, SR NE AND NC		504
0581	SHAINSONS (OLIVERBACKED) THRUSH MYLOCICHLA USTULATA	NESTS IN SMALL TREE OR BUSHES IN EVERGREEN FORESTS	BREEDS N EIGHTH US PLUS ROCKY MOUNTAINS MIGRATES NATION-IDE	STATE-IDE TV SR NE AND NC		504
0582	GRAY-CHEEKED THRUSH MYLOCICHLA MINIMA	SPRUCE AND TAMARACK FORESTS, ALSO STREAM- SIDE GROVES OF ALDER WILLOW & BIRCH	MIGRANT THROUGH E TWO-THIRDS US INCLUDING IA, MI, MN, WI, ND & SD	UNCOMMON TV STATE-IDE		504
0583	VEERY MYLOCICHLA PUSCESCENS	NESTS ON OR NEAR GROUND IN MOIST OPCIGUOUS WOODS	BREEDS ON TO IN SOUTHWARD AND OR TO WV TO SD TO IN TO OH NORTHWARD	UNCOMMON TV, SR STATE-IDE		504
0584	EASTERN BLUEBIRD SIALIA SIALIA	NESTS UNCOMMON, FARMYARDS, IN CAVITY IN TREE, FENCE POST ETC.	BREEDS E TWO-THIRDS US, PR E SD TO EAST COAST SOUTHWARD	TV STATE-IDE, SR STATE-IDE WHERE HABITAT PRESENT, RARE OR SE		504
0585	MOUNTAIN BLUEBIRD SIALIA CURRUPTORIS	NESTS IN MOUNTAINOUS AREAS, SEMI-OPEN AND IN CAVITIES	PR ROCKY MOUNTAINS SR OR, NE, SD, OR TX TO KS TO WEST COAST	CASUAL TV AND WV		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 2214P153

DEVELOPED BY  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 47

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0586	TU-NEBENDS SOLITAIRE MYADestes TU-NEBENDI	NESTS IN CONIFEROUS FORESTS, WINTERS IN WOODS OR SHRUBS, ALSO RIVER VALLEYS	BREEDS - THIND US NR SAME AREA	CASUAL TV, NV STATE-IDE BUT MOSTLY IN S HALF		504
0587	BLUE-GRAY Gnatcatcher PULIOPTILA ERRERULEA	NESTS IN TREES IN MOIST WOODS	BREEDS CA TO NM TO C MN TO NV SOUTH-AND	SR TV SOUTHEAST		504
0588	GOLDEN CROWNED KINGLET REGULUS STRAPA	NESTS IN CONIFEROUS FOREST IN A TREE	BREEDS ROCKY MOUNTAINS, C MN TO MA NORTHMANU, WINTERS S THREE-QUARTERS	STATE-IDE TV, SR NE HALF, NV RARE N UNCOMMON SOUTH		504
0589	RUBY-CROWNED KINGLET REGULUS CALENOULA	COMMON IN CONIFERS	PR N COAST, UT, CO, SR UT, CO N TO DR, TV N HALF US	COMMON TV STATE-IDE, SR NE, NC, RARE - N S HALF		504
0590	WATER PIPIT ANTHUS SPINDLETTA	COMMON MUDDY SHORES FLOODED FIELDS	SR NW US, NR N US TO S US ACROSS S EDGE US N TO VA	UNCOMMON TO COMMON SPRING TV, COMMON TO ABUNDANT FALL TV		504
0591	SPRAGUE'S PIPIT ANTHUS SPRAGUEII	UNCOMMON IN TALL GRASS	SR N MID-., TV N TO S MID-., NR S MID-.	RARE TO COMMON TV STATE-IDE, NV RARE NE S, RARE SW NC		504
0592	RUDEMANIAN WAXING RUMYICILLA GARMILA	COMMON IN BERRY-BEAN TREE, SHRUBS	PR N CONNER, NR N QTH US, IRREGULAR E TO GREAT LAKES S- TO N- TX	REGULAR N NV, ALSO RARE STATE-IDE, RARE SR N-C		504
0593	CEDAR WAXING RUMYICILLA CEDRONUM	COMMON IN BERRY-BEAN TREES AND SHRUBS	SR ND N- TO NE, ND S TO AB, E TO N GA, NW E US	COMMON SR, NV STATE-IDE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (EMIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/04/78 2210HRS

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER MEADOWLANDS REGION

PAGE NO: 48

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0598	NORTHERN SHRIKE LANIUS EXCUBITOR	RARE ON TREE TOPS, POLES OPEN COUNTRY	IRREGULAR MV NORTH STATES	UNCOMMON MV,TV STATE=IDE		504
0595	LOGGERHEAD SHRIKE LANIUS LUDOVICIANUS	RARE ON TREE TOPS POLES, OPEN COUNTRY	PR S TWO THIRDS US BR N THIRD US	UNCOMMON TV STATE=IDE, BR STATE=IDE, FEWER NE, N=C		504
0596	STARLING STURNUS VULGARIS	ABUNDANT CITY PARKS SUBURBS, FARMS	PR NATION=IDE, BR S- CORNER US	PR STATE=IDE		504
0600	SOLITARY VIREO VIREO SOLITARIUS	COMMON MIXED N HARDWOOD-CONIFEROUS FORESTS	BR N THIRD, N GREAT LAKES, NE CORNER, NY S- TU AL, BR AZ E TO GA	UNCOMMON TO COMMON TV STATE=IDE, BR NE, N=C		504
0601	RED-EYED VIREO VIREO OLIVACEUS	COMMON DECIDUOUS FORESTS	BR NATION=IDE EXCEPT S- QTR	COMMON BR, TV STATE=IDE		504
0602	PHILADELPHIA VIREO VIREO PHILADELPHICUS	UNCOMMON WOOD MARGIN DECIDUOUS SCUB	TV E HALF US, BR N EDGE E HALF US	UNCOMMON TV STATE=IDE, BR NE, N=C		504
0605	HARBLING VIREO VIREO GILVUS	RESIDENT OF TALL DECIDUOUS SHADE TREE	BR NATION=IDE EXCEPT TV S EDGE US	COMMON TV STATE=IDE, BR STATE=IDE FEWER NE		504
0608	BLACK-AND-WHITE HARBLER MNIOTILIA VARIA	COMMON DECIDUOUS WOODS	BR E TWO THIRDS US OR FL, TX, TV NIO-- MT S TU TX, AND FL	COMMON TV STATE=IDE, BR NE, N=C CENTRAL EAST OF MISSISSIPPI		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 2214R153

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 89

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0605	PROTONOTARY WARBLER PROTONOTARIA CITREA	COMMON WOODED SWAMPS ALONG STREAMS	SE US S OF MN TO TX MN TO NJ	HARE SPRING TV, BN SE, C		504
0607	GULCH-WINGED WARBLER VERMIVORA CHRYSOPTERA	UNCOMMON IN GRAY BIRCH, YOUNG DECID. GROWTH, ABANDONED PASTURES	SE NE US MN, IA SE IO NC N TO NJ	UNCOMMON SPRING TV SE, E-C, CASUAL ELSEWHERE, BR C, N-C		504
0609	TENNESSEE WARBLER MNIOTILIA VARIA	NESTS IN ASPEN AND SPRUCE WOODS	BREEDS NE US, NE MT, N MN; N HI, AND N MI, IV E TWO-THIRDS US,	ABUNDANT TV STATE=IOE, BR NC, NE,		504
0610	ORANGE-CROWNED WARBLER VERMIVORA CLAYTON	OCCURS SPRING, SUMMER, AND FALL IN STREAMSIDE THICKETS	BREEDS W THIRD US, TV NATION=IOE, NR S EIGHTH US PLUS S CANADIAN	COMMON TV STATE=IOE, BV N HALF		504
0611	NASHVILLE WARBLER VERMIVORA RUFICAPILLA	NESTS ON GROUND IN SPHAGNUM MOSS IN A WOODED SWAMP	BREEDS W QUARTER US PLUS NE HALF US	ABUNDANT TV STATE=IOE, BN NE, NC		504
0612	NORTHERN PARULA (WARBLER) PARULA AMERICANA	NESTS USING USNEA LICHEN AND IT IS HANGING FROM BRANCH OF EVERGREEN	BREEDS E HALF US	HARE TV STATE=IOE, BR NE AND NC		504
0613	YELLOW WARBLER DENDROICA PTECHIA	NESTS WILLOW, THICKET ORCHARDS, SUBURBS, OR MOIST WOODS AND IN BUSHES	BREEDS NATIONWIDE	COMMON BN, TV STATE=IOE		504
0614	MAGNOLIA WARBLER DENDROICA MAGNOLIA	NESTS IN SMALL EVERGREEN TREES OF A CONIFEROUS FOREST, E TWO-THIRDS TV,	BREEDS N MN TO WI, ALSO ON TO VA NORTHWARD	COMMON TV STATE=IOE, BN NE, NC		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
SIG-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22144153

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101



BIROB UP THE MISSISSIPPI RIVER HEADQUARTERS REGION

PAGE NO. 50

IO NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0615	CAPE MAY WARBLER DENDROICA TIGRINA	NESTS IN SPRUCE TREE AT OUTER EDGE SPRUCE BOG	BREEDS NO 10 MI TO NY NORTHWARD	UNCOMMON TV E THIRD, SR N PART OF NE.		504
0616	BLACK-THROATED BLUE WARBLER DENDROICA CAERULESCENS	NESTS UP TO THREE FEET FROM GROUND IN BUSH, EVERGREEN OR DECIDUOUS	BREEDS N EIGHTH US FROM MN EASTWARD, ALSO NE US AND APPALACHIANS	RARE TV STATE-IDE RARE SR NC, NE.		504
0617	YELLOW RUMPED (MYNTLE) WARBLER DENDROICA CORUNATA	NESTS IN TREE OF CONIFEROUS FOREST	BREEDS N MN TO N MI 10 MA NORTHWARD WINTERS SE HALF US	ABUNDANT TV STATE-IDE, SR NC, NE		504
0619	BLACK THROATED GREEN WARBLER DENDROICA VIRENS	NESTS IN EVERGREEN, SOMETIMES DECIDUOUS TREES IN A FOREST	BREEDS MN TO OH TO AL TO GA NORTHWARD	UNCOMMON TV NE HALF, SR NE AND NC		504
0620	CERULEAN WARBLER DENDROICA CERULEA	NESTS ON HORIZONTAL OR UNDOOPING LIMB IN DECIDUOUS WOODS AS RIVER VALLEYS	BREEDS E HALF US EXCEPT N, S, AND EAST EIGHTHS	RARE TV SOUTHERN THO-THIRDS, SR S THO-THIRDS		504
0621	BLACKBURNIAN WARBLER DENDROICA FUSCA	NESTS ON BRANCH IN CONIFEROUS FORESTS OR MIXED WOODS	BREEDS MN TO OH TO PA NORTHWARD AND APPALACHIAN MTS, TV E HALF US	UNCOMMON TV, SR NE AND NC		504
0623	CHESTNUT SIDED WARBLER DENDROICA PENSYLVANICA	NESTS TWO TO THREE FEET FROM GROUND IN DECIDUOUS BUSH	BREEDS NE TO MI TO NJ NORTHWARD, TV E HALF US	STATE-IDE TV SR NORTHERN HALF		504
0624	GRAY BREASTED WARBLER DENDROICA CASPAREA	NESTS IN TREES OF CONIFEROUS OR MIXED FOREST	BREEDS N MN TO NY TO NH NORTHWARD, TV E HALF US	UNCOMMON TV STATE-IDE SW NE QUARTER		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
SIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/04/76 2214153

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 51

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0625	BLACKPOLL WARBLER DENDROICA STRATA	OCCURS AS SPRING AND FALL MIGRANT; CONIFER (SPRUCE, PIN, PINE, CEDAR, WFLLOCK)	BREEDS NE US TO FROM LA TO NY NORTHEASTWARD	COMMON TO STATEWIDE		504
0626	PINE WARBLER DENDROICA PINUS	NESTS ON LIMB OF TREE IN A PINE FOREST	BREEDS E HALF US, PR S THIRD AND ALONG ATLANTIC COAST	UNCOMMON TO STATEWIDE, SR NE, NC.		504
0627	PRAIRIE WARBLER DENDROICA DISCOLOR	BREEDS IN YOUNG DECIDUOUS OR CONIFEROUS STANDS OR WOOD MARGINS	BREEDS S WISCONSIN TO NJ SOUTHWARD, WINTERS IN FLORIDA	ACCIDENTAL EC		504
0628	PALM WARBLER DENDROICA PALMARUM	NESTS ON GROUND IN BOGS	BREEDS N MN, MI, NH, AND MAINE TO E HALF US, NH ALONG EAST AND GULF COASTS	STATEWIDE TO BUT UNCOMMON N HALF, SR NORTHERN THIRD		504
0629	OVENBIRD SEIURUS AURORACAPILLUS	COMMON DECIDUOUS WOODS	SR NE TO O THINOS US, TO S OF SR RANGE, NH S TIP FL	COMMON TO STATEWIDE, SR ALL WOODED AREAS E-C, TO S		504
0630	NORTHERN WATERTHRUSH SEIURUS NUNBORACENSIS	COMMON NORTHERN BOGS	SR N EDGE US, TO E TWO THINOS, NH S TIP FL	UNCOMMON TO STATEWIDE, SR NE, NC		504
0632	KENTUCKY WARBLER DENDROICA FURNIBUS	COMMON MOIST DECIDUOUS WOODS WITH AMPLE GROUND VEG.	SR SE US NH TO IA	CASUAL SPRING TO MAY SR SE		504
0633	CONNECTICUT WARBLER DENDROICA AGILIS	UNCOMMON MOIST WOODLANDS, DENSE UNDERSTORY	SR NO, NH, MI, TO E, SE VS NU TO FL	RARE TO STATEWIDE SR NE, NC		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ENIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22:04:55

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 52

IO NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0636	MOURNING WARBLER OPHONIS PHILADELPHIA	UNCOMMON HEAVY UNDERBUSH	BR N EDGE US NO E TV E HALF US TO GULF COAST	COMMON TV STATEWIDE, BR N HALF		504
0635	COMMON YELLOWTHROAT GEOTHLYPIS THICHA	COMMON MOIST GRASSY SHRUBBY AREAS	BR S EDGE US BR N	COMMON BR, TV STATEWIDE		504
0637	MUDDO WARBLER MILSONIA CITRINA	COMMON MOIST DECIDUOUS WOODS WITH ABUNDANT UNDERBROWTH	BR SE US IA TO NJ S TV FL, TX	ACCIDENTAL TV STATEWIDE		504
0638	MILSON'S WARBLER MILSONIA RUSILLA	COMMON THICKETS ESPECIALLY HILLOWS	BR NM S TO NM AND N EDGE US OR TO NM	COMMON TV STATEWIDE		504
0639	CANADA WARBLER MILSONIA CANADENSIS	COMMON N FOREST UNDERBUSH	TV E HALF US, BR N EDGE, E HALF US	UNCOMMON TO COMMON TV STATEWIDE, BR NE N-C		504
0640	AMERICAN REOSTART SETOPHAGA RUTICILLA	COMMON DECIDUOUS FOREST UNDERSTORY NEAR WATER	BR NATIONWIDE EXCEPT N COAST AND BR OTS US, TV UT TO TX, UT TO KS, SE EDGE IIS	COMMON TV STATEWIDE, BR STATEWIDE, SCARCE S-		504
0641	HOUSE SPARROW PASSER DOMESTICUS	ABUNDANT PARKS, CITIES, SUBURBS	PR NATIONWIDE	PR STATEWIDE		504
0642	MUDLIN OULICOMYX OMYIOMYX	COMMON IN MAREFIELDS, FALL TV NEAR MARSHES	BR N THIRD US, TV NV E TO NE AND SE US	COMMON TV STATEWIDE EXCEPT NE N-C, BR N-C, N-C		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 SIU-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/78 22408153

155

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

## BIROB OF THE MISSISSIPPI RIVEN HEAD-ATERS REGION

PAGE NO: 53

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0643	EASTERN MEADOW-LARK STURNELLA MAGNA	COMMON IN FIELDS AND ON FENCES	PR SE HALF US MN SW TU AZ, SR N EDGE E HALF US, MN AZ	COMMON TV E HALF SR E HALF, UNCOMMON MN S HALF		504
0644	WESTERN MEADOW-LARK STURNELLA NEGLECTA	COMMON IN FIELDS AND ON FENCES	PR N HALF EXCEPT SW MID-WEST, NR TX AREA	COMMON SR, TV STATEWIDE, NR S HALF		504
0645	YELLOW-HEADED BLACKBIRD XANTHOCEPHALUS XANTHOCEPHALUS	COMMON IN CATTAIL AND TULE MARSHES	PR SW CORNER, SR N THO THIRDS, TV SE OF SR RANGE SE TO TX	COMMON TV STATEWIDE, SR STATEWIDE EXCEPT NE		504
0646	REDWINGED BLACKBIRD AGELAIUS PHOENICEUS	ABUNDANT IN FIELDS AND MARSHES	PR S TWO THIRDS, SR N THIRD	COMMON SR, TV STATEWIDE		504
0649	NORTHERN (BALTIMORE) ORIOLE ICTERUS GALBULA	COMMON IN TALL ELMS AND SHADE TREES	SW NS TWO THIRDS EXCEPT TV S OF THIS AREA	COMMON SR, TV, NR SE QUARTER		504
0650	RUSTY BLACKBIRD EUPHAGUS CARDLINUS	OCURS AS SPRING AND FALL TV AND NV; HARDWOODS (ELM, BIRCH, MAPLE, ASH)	BREDS NE US AND N APPALACHIANS TU NV WINTERS SE HALF TV IN BETWEEN	COMMON TV STATEWIDE, UNCOMMON NV S, RARE IN N		504
0651	CHIMNEY BLACKBIRD EUPHAGUS CYANOCEPHALUS	NESTS IN CULVERIES ON GROUND IN PRAIRIES	BREDS MI TO AZ NORTHWARD, WINTER N TO AL SOUTHWARD	COMMON TV SR STATEWIDE EXCEPT HEAVILY WOODED AREAS OF N		504
0652	COMMON GRACKLE QUISCALUS QUISCULA	NESTS IN CITIES, FARMS, ETC IN COUNTR IF POSSIBLE	BREDS E HALF US AND ND, SD, NV, AND MT. WINTERS SE HALF US	STATEWIDE PR UNCOMMON IN WINTER		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/74 22148153

DEVELOPED BY:  
ST. PAUL DISTRICT  
COMPS OF ENGINEERS  
ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 54

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0653	BROWN HEADED CUP-BIRD COLUTHRUS AIEH	DOES NOT NEST, PARASITIZES OTHER BIRDS NESTS; OPENINGS UPLANDS & FIELDS	BREEDS NATIONWIDE NR S HALF US PLUS E COAST	COMMON BR, TV STATEWIDE		504
0654	WESTERN Tanager PIRANGA LUDDVICIANA	NESTS IN TREES IN CONIFER OR DECIDUOUS FORESTS	BREEDS N THIRD US	CASUAL SPRING MIGRANT		504
0655	SCARLET Tanager PIRANGA OLIVACEA	NESTS IN FLOODPLAIN OR MOIST WOODS DECIDUOUS OR PINE OAK,	BREEDS NE HALF US TV SOUTH UP BREEDING RANGE	UNCOMMON TV & HALF RARE = HALF, STATEWIDE BR		504
0656	SUMMER Tanager PIRANGA RUBRA	OCCURS DURING SPRING IN OPEN DRY WOODS OF OAK, PINE, HICKORY AND WILLOW	BREEDS AZ TO OK TO IA TO PA SOUTHWARD	CASUAL SPRING MIGRANT STATEWIDE EXCEPT NW QUARTER		504
0657	CARDINAL RICHMONDENA CARDINALIS	NESTS IN BUSHES, SMALL TREES IN WOOD- MARGINS, SUBURBS, AND RIVER VALLEYS	PR SE SD TO NY SOUTH ALSO S AZ AND NM	PR S TWO-THIRDS		504
0658	RED (ROBE) BREASTED GROSBEAK PHEUCTICUS LUDDVICIANUS	NESTS IN TREES OR BUSHES OF DECIDUOUS WOODS OR OLD ORCHARDS	BREEDS NE HALF US IV SOUTH UP BREEDING RANGE	COMMON TV, BR STATEWIDE BUT LESS NUMEROUS NE QUARTER		504
0659	BLACK-HEADED GROSBEAK PHEUCTICUS HELANDCEPHALUS	NESTS IN OPEN WOODS ESPECIALLY DECIDUOUS	BREEDS N HALF US	ACCIDENTAL SPRING AND SUMMER		504
0661	INDIGO BUNTING PASSERINA CYANEA	NESTS IN BUSHES OR HEDGEROWS, ALONG WOOD MARGINS	BREEDS E HALF US	STATEWIDE TV, BR, LESS COMMON IN NE		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/76 2214P155

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO. 55

ID NR	COMMON NAME SCIENTIFIC NAME	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0062	LAZULI BUNTING PASSERINA AMERENA	NESTS IN SCATTERED OPCIOUS OR SCHUR GROTH	BREEDS N QUARTER US AND CA, TV SOUTH OF BREEDING GROUNDS	ACCIDENTAL N HALF		504
0063	DICICISSEL SPIZA AMERICANA	NESTS ON GROUND OR BUSHES IN GRAIN FIELDS OR WOOD PATCHES	BREEDS E TWO-THIRDS US EXCEPT E EIGHTH WINTERS E COAST	SR, TV S HALF		504
0064	EVENING GROSBEAK HESPERIPHONA VESPERTINA	NESTS IN CONIFER FORESTS	PR N THIRD US, WINTERS N HALF, N HALF AND EAST- CENTRAL US	STATE-WIDE SR, TV, W WANE SR S TWO-THIRDS		504
0065	PURPLE FINCH CARPODacus PURPUREUS	NESTS USUALLY IN EVERGREEN IN OPEN WOODS.	BREEDS N NO TO MI TO OH TO WY NORTHWARD AND N COAST, WINTERS E HALF, W THIRD	TV, WY STATE-WIDE, SR NE, NC,		504
0066	PINE GROSBACK ENICOLA ENUCLEATOR	NESTS IN CONIFEROUS FOREST ON LOWER BRANCH	BREEDS IN ROCKY MOUNTAINS AND MAINE, WINTERS N THIRD AND N HALF US.	TV, WY, SK STATE-WIDE BUT UNCOMMON TO WANE OUTSIDE OF NC AND NE NE		504
0067	WYATT REDPOLL ACANTHIS HORNEMANNI	USUALLY FOUND ON SNOW COVERED FIELDS	WINTERS N QUARTER US	RARE WY N TWO- THIRDS		504
0068	COMMON REDPOLL ACANTHIS FLAMMEA	USUALLY FOUND IN SNOW COVERED FIELDS; OPENINGS (UPLANDS AND FIELDS)	WINTERS N HALF US	COMMON TV, WY STATE-WIDE		504
0069	FOX SPARROW PASSERELLA ILIACA	OCCURS ONLY AS TV AND WY, CONIFERS (FIR HEMLOCK, SPRUCE, PINE, CEDAR)	BREEDS NE QUARTER US AND WINTER SE HALF, N COAST AND AZ, NM, TV NATION-WIDE,	UNCOMMON TV STATE-WIDE, WANE WY MOSTLY IN SOUTH		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/76 22140153

DEVELOPED BY  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 56

IO NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0670	PINE SISKIN SPINUS PINUS	IRREGULARLY COMMON IN CONIFERS	SR NH OR E TO MN, OR SE TO NV, PR N HALF, NR NE QTR TO MN, SH TO TX, NOT SE	COMMON TV E, C, SR NE, N, C, NV STATEWIDE		504
0671	AMERICAN GOLDFINCH PINUS TRISTIS	COMMON, WETLY FIELDS BUSHES, ROADSIDES SEED-BEARING TREES	SR N US TWO THIRDS OR S THIRD US, PR N, NE, CENTRAL	COMMON TV STATEWIDE, NR STATEWIDE MOST S HALF		502
0672	RED CROSSBILL LOXIA CURVIROSTRA	UNPREDICTABLE, COMMON IN PINE WOODS	PR NH US CA TO MN	ERMATIC TV, NV STATEWIDE, IRREGULAR SR N HALF		504
0673	WHITE-INGED CROSSBILL LOXIA LEUCOPTERA	UNCOMMON, SPRUCES, PINES, LARCHES	PR NE EDGE US, OR HANGES N HALF US	UNCOMMON TV FALL N SR RARE N, NH N HALF		504
0674	RUFOUS-SIDED (RED-EYED, F) TOWHEE PIPILO ERYTHROPTALMUS ERYTHROPTALMUS	COMMON, BUSH, HEAVY UNDERGROWTH, WOOD MARGINS, HEDGEROWS	PR NATIONWIDE EXCEPT SR N EDGE, NR S, C N TO NE	UNCOMMON TV STATEWIDE EXCEPT E SR SE, E, C, N, C		504
0676	SAVANNAH SPARROW PASSERCULUS SANDWICHENSIS	COMMON LARGE FIELDS SHORT OR SPARSE GRASS, WEEDS	PR N COAST, SH N THIRD, NH S THIRD, TV BETWEEN	COMMON TV, SH STATEWIDE		504
0677	GRASSHOPPER SPARROW AMMODRAMUS SAVANNAHUS	COMMON MAYS FIELDS, WETLY FALLOW FIELDS	SR N HALF, PR, TV, NR S HALF	UNCOMMON TO COMMON SPRING TV EXCEPT N, C, NE, SH STATEWIDE		504
0679	LE CONTE'S SPARROW PASSERIBULUS CAUDACUTUS	COMMON TALL MARSH GRASS SUMMER, RARE DRY FIELDS WINTER	SR N MIDWEST, NR SE GULF COAST, TV BETWEEN	UNCOMMON TO COMMON TV N, UNCOMMON TO NANE C, E, SH NH		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ENIAS)  
 BIO-INFORMATION SUB-SYSTEM  
 RUN DATE: 07/08/76 22144:43

DEVELOPED BY:  
 ST. PAUL DISTRICT  
 CORPS OF ENGINEERS  
 ST. PAUL, MINN 55101

## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 57

ID NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0681	SWAMP-TAILED SPARROW AMMODRAMA CAUDACUTA	COMMON IN SHORT GRASS SALT MARSHES FRESH MARSHES	SR NO. TO E HALF US NR E, GULF COASTS	WANE TO UNCOMMON TV STATEWIDE, SR N		504
0682	VESPER SPARROW POUECETES GRAMMIFUS	COMMON MEADOWS, PASTURES, RAY AND GRAIN FIELDS	SR N HALF US, OR S HALF US, SMALL AREA TV BETWEEN, S-C	COMMON TV, STATEWIDE EXCEPT NORTHEAST, SR STATEWIDE, FEWER NE, NR SE HALF		504
0683	LARK SPARROW CHONDESTES GRAMMACUS	COMMON DRY FIELDS NEAR BRUSH OR TREES	SR N TWO THIRDS, PR, NR S EDGE US	UNCOMMON SPRING TV SE, E-C, NR, SR SE, E-C, C, NR		504
0684	DARK-EYED (SLATE-COLORED) JUNCO JUNCO HYEMALIS	COMMON BRUSHY CLEARINGS, BORDERS CONIFEROUS FORESTS SUMMER	PR NE CORNER, SR NO NR TO MI, OR ENTIRE US EXCEPT SR CORNER	COMMON TV STATEWIDE, SR NE, N-C NR STATEWIDE		504
0685	TREE SPARROW SPIZELLA AMOREA	COMMON WILLOW THICKETS, REEDY FIELD MEDGEWAYS	NR CENTRAL THIRD E, US, TV N THIS RANGE	COMMON TV STATEWIDE, COMMON NV S HALF, WANE N HALF		504
0686	CRIPPING SPARROW SPIZELLA PASSERINA	COMMON ON LAWS, SPARSE GRASS UNDER SCATTERED TREES	PR, NR S EDGE US, SR N TWO THIRDS US	COMMON SR, TV STATEWIDE		504
0687	CLAY-COLORED SPARROW SPIZELLA PALLIDA	COMMON IN OPEN BRUSHLAND	SR N MID-EAST, TV C MID-EAST, NR S EDGE MID-EAST	UNCOMMON TO COMMON TV STATEWIDE, SR STATEWIDE, RARE S HALF		504
0688	FIELD SPARROW SPIZELLA PUSILLA	COMMON ABANDONED FIELDS WITH TALL GRASS OR SCATTERED SAPLINGS	PR, NR S TWO THIRDS OF E HALF US, SR N THIRD, BUT NOT TO N EDGE	COMMON TV SE, E-C, UNCOMMON E-C, S-C, C, N-C, SR S HALF		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ENIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22184153

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101



## BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO: 56

IO NR	COMMON NAME SCIENTIFIC NAMES	HABITAT	RANGE IN U.S.	RANGE IN STATE MINNESOTA	NOTES ON LOCAL POPULATION	SOURCE CODE
0689	HARRIS SPARROW ZONOTRICHIA QUERULA	COMMON, WINTER, WEDGEWOODS, WOOD MARGINS AND BRUSH	NR SMALL AREA C US, N TO IA S TO TX, TV MIDWEST	COMMON TV N HALF VERY RARE NR S HALF, SR, CASUAL ELSEWHERE		504
0690	WHITE-CROWNED SPARROW ZONOTRICHIA LEUCOPHRYS	COMMON THICKETS WEDGEWOODS, WOOD MARGINS ADJACENT TO FLOES, OPEN AREAS	NR NW, N COAST, NR S HALF US, EXCEPT SE CORNER, TV NE TO MIDWEST	UNCOMMON TO COMMON TV STATEWIDE, RAKE NW SE		504
0691	SUNG SPARROW MELOSPIZA MELODIA	NESTS ON GROUND OR IN BUSHES OR SMALL EVERGREEN 1-6 FT UP IN OPENINGS	BREEDS N TWO-THIRDS US, WINTERS S THREE- QUARTER US	COMMON TV AND SR STATEWIDE, RARE NW,		504
0692	LINCOLN'S SPARROW MELOSPIZA LINCOLNII	COMMON THICKETS ALONG RIGGS, STREAMS	SR NE EDGE, NW CA E TO AR, TV ELSEWHERE	UNCOMMON TV STATEWIDE, SR NE		504
0693	WHITE-THROATED SPARROW ZONOTRICHIA ALBICOLLIS	NESTS ON GROUND IN BRUSH THICKETS, EDGES BLACK SPRUCE-TAMARAC SWAMPS & BOGS	NE TO NE PA TO COM WINTERS FROM OK AND MA TO GULF OF MEXICO	REGULAR, SR - RV; ABUNDANT SPRING AND FALL MIGRANT STATEWIDE		504
0694	SWAMP SPARROW MELOSPIZA GEORGIANA	NESTS ON OR NEAR GROUND IN MARSHES OR SWAMPS	BREEDS ND TO NE EASTWARD, WINTERS KS TO L TX EASTWARD	SR, CASUAL, WINTER COMMON SPRING & FALL MIGRANT STATEWIDE; UC-FALL, NTH		504
0697	SNOW BUNTING PLECTROPHENAX NIVALIS	MOST ABUNDANT IN OPEN COUNTRY	WINTERS CA TO NM TO IN TO VA NORTH-AND	COMMON STATEWIDE TV, RV STATEWIDE EXCEPT WOODED AREAS NE AND NC		504

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/74 2214P153

DEVELOPED BY:  
ST. PAUL DISTRICT  
COMPS OF ENGINEERS  
ST. PAUL, MINN 55101

BIBLIOGRAPHY FOR  
BIRDS OF THE MISSISSIPPI RIVER HEADWATERS REGION

PAGE NO1 1

SOURCE  
CODE

REFERENCE

502 MOORE, NORMAN A. 1951, THE BIRDS OF MICHIGAN, MISCELLANEOUS PUBLICATIONS,  
MUSEUM OF ZOOLOGY, UNIVERSITY OF MICHIGAN, NO. 75, ANN ARBOR, UNIVERSITY  
OF MICHIGAN PRESS.

503 ROBERTS, THOMAS S. 1932, THE BIRDS OF MINNESOTA, FIRST EDITION, VOL. 1-2, THE  
UNIVERSITY OF MINNESOTA PRESS, MINNEAPOLIS.

504 JANSSEN, K. AND GREEN, J. 1974, MINNESOTA BIRDS,  
(UNPUBLISHED MANUSCRIPT).

509 MOORE, NORMAN A. JULY 2, 1925, A PRELIMINARY SURVEY OF THE BIRD LIFE OF NORTH  
DAKOTA, UNIVERSITY OF MICHIGAN, MUSEUM OF ZOOLOGY, MISCELLANEOUS  
PUBLICATIONS NO. 10, UNIVERSITY OF MICHIGAN, ANN ARBOR, MICHIGAN.

500 INVALID SOURCE=CODE

ENVIRONMENTAL RESOURCE INVENTORY AND ANALYSIS SYSTEM (ERIAS)  
BIO-INFORMATION SUB-SYSTEM  
RUN DATE: 07/08/76 22144155

DEVELOPED BY:  
ST. PAUL DISTRICT  
CORPS OF ENGINEERS  
ST. PAUL, MINN 55101